INDEX TO VOLUME 88

The Index for Volume 88 consists of three parts: (1) Author and Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

AUTHOR AND SUBJECT INDEX

Arbuscular mycorrhizal fungi 939–946
Abbas, J. D., B. A. D. Hetrick, and J. E. Jurgenson. Isolate specific detection of mycorrhizal fungi using genome specific primer pairs. 939–946
Actin
  in hyphal tip growth 20–37, 57–70
Acremoniosis
  of muskmelon 804–808.
Adams, G. C. and B. R. Kropp. Athelia arachnoidea, the sexual state of Rhizoctonia carotae, a pathogen of carrot in cold storage. 459–472
Adams, P. B. see Mischke, S. and P. B. Adams. 271–277
Aflatoxins
  in Aspergillus 574–587
Albee, S. R., G. M. Mueller, and B. R. Kropp. Polymorphisms in the large intergenic spacer of the nuclear ribosomal repeat identify Laccaria proxima. 970–976
Alfaro-García, A., Armengol, B. D. Bruton, W. Gams, J. García-Jiménez, and G. Martínez-Ferrer. The taxonomic position of the causal agent of acremoniium collapse of muskmelon. 804–808
Allozymes
  in Phytophthora infestans 608–612
Amarowicz, R. see Hampson, M. C., et al. 647–650
Amatoxin composition
  in Amanita phalloides 909–921
Amphithallism 749–761
Anamorphs
  of Mycosphaerella on Eucalyptus 441–458
Anderson, D. W. and R. L. Nicholson. Characterization of a laccase in the conidial mucilage of Colletotrichum graminicola. 996–1002
Animal pathogens 885–891
Antarctic fungi 922–933
Anthracnose
  of citrus (Key lime). 121–128
  (postharvest of fruit) 121–128
Antibiotic
  produced by Acemonium 809–815
  in Epichloë 816–818
Antifungal agents
  against Candida 651–654
Aquatic insects
  in southern Chile 844–857
Arenas M., J. see Lichtwardt, R. W. and J. Arenas M. 844–857
Armengol, J. see Alfaro-García, A., et al. 804–808
Arnott, H. J. see Hatano, T., et al. 316–327
Ascospore ontogeny
  in Barssia oregonensis 38–46
Author citations
  complications and simplifications 146–150
Autogamy
  in chytrids 720–732
Baayen, R. P. see Waalwijk, C., et al. 361–368
Bacon, C. W. see Glenn, A. E., et al. 369–383
Baisden, C. M. and J. J. Cooney. Screening marine fungi for plasmids and characterization of a linear mitochondrial plasmid in a Lulworthia sp. 350–357
Ballistic propagules
  in salt marsh fungi 328–337
Banik, M. T. see Volk, T. J., et al. 484–491
Banik, M. T., J. A. Paul, and H. H. Burdsall, Jr. [Erratum] Identification of Armillaria species from Wisconsin and adjacent areas. 522
Banik, M. T., T. J. Volk, and H. H. Burdsall, Jr. Armillaria species of the Olympic Peninsula of Washington state, including confirmation of North American biological species XI. 492–496
Bark beetles 739–744
Basidial spore number
  in Agaricus bisporus 749–761
Basidiospore germination (direct and indirect)
  in Cronartium 892–896
Beakes, G. W. see Weir, A. and G. W. Beakes. 677–693
Beckerman, J. L. see Ebbole, D. J. and J. L. Beckerman. 518–519
Beelman, R. B. see Miklus, M. B. and R. B. Beelman. 403–409
Bell, A. and D. P. Mahoney. Perithecium development in Podospora tetraspora and Podospora vesticola. 163–170
Bennett, J. W. see Feibelman, T. P., et al. 295–301
Berres, M. E. see McLaughlin, D. J., et al. 339–349
Bessette, A. E. see Miller, Jr., O. K., et al. 137–139
Biocontrol 271–277
Biogeography 922–933
Biological control
  of Melaleuca quinquenervia 239–248
Biological species
  of Armillaria 484–496
Bissett, J., G. Duke, and M. Goettel. Ascosphaera acerosa sp. nov. isolated from the alfalfa leaf cutting bee, with a key to the species of Ascosphaera. 797–803
Blackwell, M. see Jones, K. G. and M. Blackwell. 212–218
Blackwell, M. see Cassar, S. and M. Blackwell. 596–601
Blakeslee, G. M. see Rayachetry, M. B., et al. 239–248
Blanchette, R. A. see McDougall, D. N. and R. A. Blanchette. 98–103
Blaney, W. M. see Horn, W. S., et al. 588–595
Blue stain
  of Douglas Fir 104
Boletes
  phylogeny in Suillus 776–785
Bonin, C. see Koske, R., et al. 947–950
Book reviews 517–521
Braselton, J. P. see Bryan, R. J., et al. 358–360
Brasier, C. M. Low genetic diversity of the Ophiostoma novo-ulmi population in North America. 951–964
Brlansky, R. H. see Zulfiqar et al. 121–128
Bruehl, G. W. see Kaiser, W. J., et al. 539–547
Bruehl, G. W. see Kaiser, W. J. and G. W. Bruehl. 816–818
Bruehl, G. W. and W. J. Kaiser. Some effects of water potential upon endophytic Acremonium spp. in culture. 809–815
Bruns, T. D. see Kretzer, A., et al. 776–785
Bruton, B. D. see Alfaro-García, A., et al. 804–808
Bryan, R. J., A. T. Trese, and J. P. Braselton. Molecular karyotypes for the obligate, intracellular, plant pathogens, Plasmodiphora brassicae and Spongospora subterranea. 358–360
Burdsall, Jr., H. H. see Volk, T. J., et al. 484–491
Burdsall, Jr., H. H. see Banik, M. T., et al. 492–496
Burdsall, Jr., H. H. see Banik, M. T., et al. 522
Bärlocher, F. see Maharning, A. R. and F. Bärlocher. 80–88
Cabral, D. see White, Jr., J. F., et al. 174–178
Calcium
  Irrigation of mushroom crops 403–409
Californian Tricholomas 497–508
Callac, P. see Imbernon, M., et al. 749–761
Cartwright, R. D. see Sadler, D. A., et al. 171–173
Cassanas, G. see Enjalbert, F., et al. 909–921
Cassar, S. and M. Blackwell. Convergent origins of ambrosia fungi. 596–601
Castellano, M. A. see Domínguez de Toledo, L. S. and M. A. Castellano. 863–884
Catabolite repression 410–413
Cell biology/ultrastructure 38–70, 339–349, 523–532, 892–896
Cellobiohydrolase
  in Trihoderma viride 191–197
Cellulase
  production in Saccobolus 249–255
Cellulases
  in Trichoderma viride 191
  in Stachybotrys 410–413
Cephalosporins 3, 4
Chalkbrood
  of leafcutting bees 797–803
Chamuris, G. P. see Schutlz, E., et al. 831–838

Chanterelles 295–301.
Chaumont, J. P. see Enjalbert, F., et al. 909–921
Chen, S. Y., D. W. Dickson, and J. W. Kimbrough. Phoma heteroderae sp. nov. isolated from eggs of Heterodera glycines. 885–891
Chestnut blight 179–190
Chlamydospore production
by Fusarium 1010–1013
Chloro-8-quinolinols 651–654
Chromosome mapping
in Agaricus bisporus 749–761
Cibula, W. G. see Feibelman, T. P., et al. 295–301
Cibula, W. G. and N. S. Weber. Hygrocybe andersonii a new psammophilus Hygrocybe from Horn Island, a Mississippi barrier island. 514–516
Clark, S. see Taylor, J. and S. Clark. 613–618
Cooney, J. J. see Baisden, C. M. and J. J. Cooney. 350–357
Cope, M., M. C. Webb, E. T. O'Gara, B. A. Philip, and A. R. Hardham. Immunocytochemical comparison of peripheral vesicles in zoospores of Phytophthora and Pythium species. 523–532
Costa Rican agarics 666–670
Cotter, D. A. see Temesvari, L. A., et al. 819–830
Covert, S. F. see Mims, C. W., et al. 47–56
Crous, P. W. and M. J. Wingfield. Species of Mycosphaerella and their anamorphs associated with leaf blotch disease of Eucalyptus in South Africa. 441–458
Crous, P. W., W. Gams, M. J. Wingfield, and P. S. Van Wijk. Phaeoacremonium gen. nov. associated with wilt and decline diseases of woody hosts and human infections. 786–796
Cyclohexiмide tolerance 596–601
Cyclosporin A 3
Cytoplasmic migration
hyphal tip growth 24
Cytoskeleton
hyphal tip growth 20–37
Dallabrida, S. see Schutlz, E., et al. 831–838
Damiani, A. see Punja, Z. K. and A. Damiani. 694–706
Davitt, C. M. see Kaiser, W. J., et al. 539–547
De Kesel, A. Host specificity and habitat preference of Laboulbenia slackensis 554–564
DePriest, P. T. see Gargas, A. and P. T. DePriest. 745–748
Decomposition
by aquatic hyphomycetes 80–88
Dematiaceous hyphomycetes 1014–1021
Desjardin, D. E. see Horak, E., et al. 278–294
Desjardins, A. E. see Plattner R. D. et al. 416–424
Development/morphology 71–79, 163–173, 533–538, 671–732
Dickson, D. W. see Chen, S. C., et al. 885–891
Dictydine granules
in Myxomycetes 316–327
Domíngues de Toledo, L. S. Geastrum lilloi sp. nov. from Argentina. 858–862
Domíngues de Toledo, L. S. and M. A. Castellano. A revision of the genera Radiigera and Pyrenogaster. 863–884
Dorner, J. W. see Horn, B. W., et al. 574–587
Doublés, J. C. see McLaughlin, D. J., et al. 339–349
Downy mildew
of pea 473–483
Drake, T. E. see White, Jr., J. F., et al. 89–97
Dreyfuss, M. M. see Möller, C. and M. M. Dreyfuss. 922–933
Duke, G. see Bissett, J., et al. 797–803
Dutch elm disease 951–964
Duñabeitia, M. K., S. Hormila, I. Salcedo, and J. I. Peña. Ectomycorrhizae synthesized between Pinus radiata and eight fungi associated with Pinus spp. 897–908
Earth stars
a new Argentine species 858–862
Ebbole, D. J. and J. L. Beckerman. [Review of] Rice blast disease. 518–519
Ecology 80–103, 174–178, 539–573, 897–950
Ectomycorrhiza
in Laccaria proxima 970–976
Ectomycorrhizae 548–553, 662–665
Ectomycorrhizae
synthesized in Monterey pine 897–908
Egger, K. N. see Norman, J. E. and K. N. Egger. 986–995
Ekramoddoullah, A. K. see Hunt, R. S. and A. K. Ekramoddoullah. 395–402
Ellis, R. J. Photo-induction of sporangia in Pilobolus crystallinus. 642–646
Endomycorrhizae 939–946
Endophytes 626–641
in grasses 89–97, 174–178, 369–383, 809–815
in Salix 588–595
in Stipa robusta 539–547
in Manilkara bidentata 733–738
Endosymbiosis 212–218
Enjalbert, F., G. Cassanas, C. Guinchard, and J. P. Chaumont. Toxin compostion of Amanita phalloides tissues in relation to the collection site. 909–921
Enzymes
hydrolytic 410–413
Ergosterol 82, 84, 85
Esser, K. Paul Arenz Lemke, 1937–1995
Esterase activity (extracellular)
in lignicolous Basidiomycetes 831–838
Falloon, R. E. and P. W. Sutherland. Peronospora viciae on Pisum sativum: morphology of asexual and sexual reproductive structures 473–483
Feibelman, T. P., J. W. Bennett, and W. G. Cibula. Cantharellus tabernensis: A new species from the southeastern United States. 295–301
Fell, J. W. see Newell, S. Y. and J. W. Fell. 934–938
Fernández, F. A. and R. T. Hanlin. Morphological and RAPD analyses of Diaporthe phaseolorum from soybean. 425–440
Financial report
for 1994–95 665
Fischer, M. Molecular and microscopical studies in the Phellinus pini group. 230–238
Fisher, P. J. see Lodge, D. J., et al. 733–738
Forchiassin, F. see Magnelli, P., et al. 249–255
Franco-M., A. E. see Halling, R. E. and A. E. Franco-M. 666–670
Free, S. J., B. A. Holtz, and T. J. Michailides. Mating behavior in field populations of Monilinia fructicola. 208–211
Frieders, E. M. see McLaughlin, D. J., et al. 339–349
Fry, W. E. see Legard, D. E. and W. E. Fry. 608–612
Fumonisin
phenotypes in Gibberella 416–424
Fungal PCR primers 745–748
Fungi
on soybean cyst nematodes 885–891
Gabel, A., R. Studt, and S. Metz. Effect of Cryptomycina pteridis on Pteridium aquilinum. 635–641
Gams, W. see Waalwijk, C., et al. 361–368
see Crous, P. W., et al. 786–796
see Alfaro-García, A., et al. 804–808
Gander, J. E. see Lee, J. H., et al. 264–270
García-Jiménez, J. see Alfaro-García, A., et al. 804–808
Gardner, D. E. Puccinia rugispora: An unusual microcyclic rust endemic to Hawaii. 671–676
Gargas, A. and P. T. DePriest. A nomenclature for fungal PCR primers with examples from intron-containing SSU rDNA. 745–748
Gasqui, P. see Imbernon, M., et al. 749–761
Gene characterization
of cbh2 gene 191–197
Gene expression (altered)
in Aspergillus 256–263
Gene flow
in Cryphonectria parasitica 179–190
Genetic diversity
in Ophiostoma 951–964
Genetics 574–595
Genetics/molecular biology 179–211, 350–360, 745–761, 951–985
Genome specific primers
in endomycorrhizal fungi 939–946
Gentry, G. A. see Lentz, D. L., et al. 651–654
Gershon, H. see Lentz, D. L., et al. 651–654
Glenn, A. E., C. W. Bacon, R. Price, and R. T. Hanlin. Molecular phylogeny of Acremonium and its taxonomic significance. 369–383
Glucans
in Achlya 264–270
Goettel, M. see Bissett, J., et al. 797–803
Gogget, M. S. and D. Porter. Sexual reproduction in the fungal parastie, Zygo rhizidium planktonicum. 720–732
Goh, T.-K. and K. D. Hyde. Janetia curviapicis, a new species, and an emended description of the genus. 1014–1021
Goh, T.-K. and K. D. Hyde. Spadicoides cordanoides sp. nov., a new dematiaceous hypho-

mycete from submerged wood in Australia, with a taxonomic review of the genus. 1022–1031
Grape black rot 626–634
Greene, R. L. see Horn, B. W., et al. 574–587
Grigg, R. and R. W. Lichtwardt. Isozyme patterns in cultured Harpellales. 219–229
Guinchard, C. see Enjalbert, F., et al. 909–921
Halling, R. E. and A. E. Franco-M. Agaricales from Costa Rica: New taxa with ornamented spores. 666–670
Hammer, S. Variation and variability in Cladonia section Perviae. 71–79
Hammer, S. Modular growth in verticillate podetia of Cladonia. 533–538
Hampson, M. C., R. Amarowicz, and F. Shahidi. The presence of melanin in Synchytrium endobioticum. 647–650
Hanlin, R. T. see Glenn, A. E., et al. 369–383
Hanlin, R. T. see Fernández, F. A. and R. T. Hanlin. 425–440
Hardham, A. R. see Cope, M., et al. 523–532
Harrington, T. C., J. P. Steimel, M. J. Wingfield, and G. A. Kile. Isozyme variation and species delimitation in the Ceratocystis coerulescens complex. 104–113
Hatano, T., H. J. Arnott, and H. W. Keller. The genus Lindbladia. 316–327
Hawaiian agarics 278–294
Heath, I. B. see Kaminskyj, S. G. W. and I. B. Heath. 20–37
Hellgren, M. see Petäistö, R.-L., et al. 619–625
Hemmes, D. E. see Miller, Jr., O. K., et al. 140–145
Hemmes, D. E. see Horak, E., et al. 278–294
Hetrick, B. A. D. see Abbas, J. D., et al. 939–946
Hoch, H. C. see Kuo, K. C., et al. 626–634
Hodge, K. T., S. B. Krasnoff, and R. A. Humber. Tolypocladium inflatum is the anamorph of Cordyceps subsessilis. 715–719
Hodges, C. S. see Johnson, E. M., et al. 114–120
Holomorph connection
in rusts 171–173
Holtz, B. A. see Free, S. J., et al. 208–211
Horak, E., D. E. Desjardin, and D. E. Hemmes. Agaricales of the Hawaiian Islands. 3. The genus Galerina and selected other brown-spored agarics. 278–294
Hormila, S. see Duñabeitia, M. K., et al. 897–908
Horn, B. W, R. L. Greene, V. S. Sobolev, J. W. Horner, J. H. Powell, & R. C. Layton. Association of morphology and mycotoxin production with vegetative compatibility groups in Aspergillus flavus, A. parasiticus, and A. tamarii. 574–587
Horn, W. S., M. S. J. Simmonds, R. E. Schwartz, and W. M. Blaney. Variation in production of phomodiol and phomopsolide B by Phomopsis spp. 588–595
Host specificity
of Laboulbenia 565–573
Huang, T. see Wang, et al. 191–197
Humber, R. A. see Hodge, K. T., et al. 715–719
Hunt, R. S. and A. K. Ekramoddoullah. Protein patterns distinguish among Canadian isolates of Inonotus tomentosus, I. circinatus and Phellinus pini. 395–402
Huss, M. J. Isozyme analysis of population structure and diversity in the puffball species Lycoperdon pyriforme. 977–985
Hutchison, L. J. see Kropp, B. R. and L. J. Hutchison. 662–665
Hyde, K. D. see Goh., T.-K and K. D. Hyde. 1022–1031
Hyde, K. D. see Goh., T.-K and K. D. Hyde. 1014–1021
Hyphal tip growth
in Allomyces macrogynus 57–70
Hyphoma
in Mycelia Sterilia 328–337
ITS sequences
in Suillus 776–785
Imbernon, M., P. Callac, P. Gasqui, R. W. Kerrigan, and A. J. Velcko, Jr. BSN, the primary determinant of basidial spore number and reproductive mode in Agaricus bisporus, maps to chromosome I. 749–761
Immunocytochemistry
in hyphal tip growth 57–70
in zoospores 523–532
Immunofluorescence analysis
of basidiomycetous yeasts 339–349
Inbreeding
in Agaricus bisporus 749–761
Ingleby, K. and P. A. Mason. Ectomycorrhizas of Thelephora terrrestris formed with Eucalyptus globulosus. 548–553
Insect-fungal symbiosis 212–218
Instructions
for author citations 146–150
to authors for 1996 158–162
Intergenic spacers
in Laccaria proxima 970–976
Integrin
in hyphal tip growth 20–37
Internal transcribed spacers
in Fusarium 361–368
in Rhizoctonia 459–472
Isozyme analysis
in Lycoperdon pyriforme 977–985
Isozyme patterns
in Trichomycetes 219–229
Isozyme variation
in Ceratocystis 104–113
in Mucor piriformis 602–607
Isozymes
subgroups in Trichoderma 384–394
Jabaji-Hare, S. H. see Tweddell, R. J., et al. 410–415
Jaffee, B. A. D. R. Strong, and A. E. Muldoon. Nematode-trapping fungi of a natural shrubland: Tests for food chain involvement. 554–564
Johnson, E. M., T. B. Sutton, and C. S. Hodges. Peltaster fruticola: A new species in the complex of fungi causing apple sooty blotch disease. 114–120
Jones, K. G. and M. Blackwell. Ribosomal DNA sequence analysis places the yeast-like genus Symbiotaphrina within the filamentous ascomycetes. 212–218
Jurgenson, J. E. see Abbas, J. D., et al. 939–946
Kaiser, W. J. see Bruehl, G. W. and W. J. Kaiser. 809–815
Kaiser, W. J. and G. W. Bruehl. The effect of water potential upon radial growth of Epichloë and Claviceps purpurea isolates in culture. 816–818
Kaiser, W. J., G. W. Bruehl, C. M. Davitt, and R. E. Klein. Acremonium isolates from Stipa robusta. 539–547
Kaitera, J. see Petäistö, R.-L., et al. 619–625
Kajander, E. O. see Petäistö, R.-L., et al. 619–625
Kaminskyj, S. G. W. and I. B. Heath. Studies on Saprolegnia ferax suggest the general importance of the cytoplasm in determining hyphal morphology. 20–37
Kaneko, S. see Milgroom, M. G., et al. 179–190
Kaneko, S. see Spaine, P. C. and S. Kaneko. 892–896
Karyotypes (molecular)
of Plasmodiophora and Spongospora 358–360
Keller, H. W. see Hatano, T., et al. 316–327
Kelly, J. see Koske, R., et al. 947–950
Kerrigan, R. W. see Imbernon, M., et al. 749–761
Key
to genera of Cribrariaceae 322
to Hawaiian Galerinas 290–291
to Mycosphaerella spp. on Eucalyptus 449–550
to Morganella in South America 656
to Hyphomycete genera similar to Phaeoacremonium 790
to species of Phaeoacremonium 790,791
to species of Ascosphaera 802
to Chilean Trichomycetes 855
to some Geastraceae 865
to Radiigera 865
to Pyrenogaster 865
to species of Janetia 1020
to species of Spadicoides 1026
Kile, G. A. see Harrington et al. 104–113
Kimbrough, J. W. see Rayachhetry, M. B., et al. 239–248
Kimbrough, J. W. see Chen, S. C., et al. 885–891
Kimbrough, J. W. and L-T. Li. Ultrastructural evidence for the placement of the truffle Barssia in the Helvellaceae. 38–46
Klaasen, J. A. and P. E. Nelson. Identification of a mating population, Gibberella nygamai sp. nov., within the Fusarium nygamai anamorph. 965–969
Klein, G. see Temesvari, L. A., et al. 819–830
Klein, R. E. see Kaiser, W. J., et al. 539–547
Klironomos, J. [Review of] Mycorrhiza: Structure, function, molecular biology and biotechnology. 519–520
Kohlmeyer, J. and B. Volkmann-Kohlmeyer. Fungi on Juncus roemerianus. 6. Glomerobolus gen. nov., the first ballistic member of Agonomycetales. 328–337

de Koning, J. R. A. see Waalwijk, C., et al. 361–368
Korf, R. P. Simplified author citations for fungi and some old traps and new complications. 146–150
Koske, R., C. Bonin, J. Kelly, and C. Martinez. Effects of sea water on spore germination of a sand-dune-inhabiting arbuscular mycorrhizal fungus. 947–950
Krasnoff, S. B. see Hodge, K. T., et al. 715–719
Kretzer, A., Y. Li, T. Szaro, and T. D. Bruns. Internal transcribed spacer sequences from 38 recognized species of Suillus sensu lato: Phylogenetic and taxonomic implications. 776–785
Kropp, B. R. see Adams, G. C. and B. R. Kropp. 459–472
Kropp, B. R. see Albee, S. R., et al. 970–976
Kropp, B. R. and L. J. Hutchison. Gigasperma americanum, a new hypogeous member of the Basidiomycota associated with Cercocarpus ledifolius in Utah. 662–665
Kuo, K. C. and H. C. Hoch. The parasitic relationship between Phyllosticta ampelicida and Vitis vinifera. 626–634
Labyrinthulids 934–938
Laccases
in Colletotrichum 996–1002
Lange, L. Lauritz William Olson, 1945–1992. 151–157
Larsen, M. J. and I. Melo. Neotypification of Phellinus pini. 839–843
Layton, R. C. see Horn, B. W., et al. 574–587
Leaf blotch
of Eucalyptus 441–458
Lee, J. H., J. T. Mullins, and J. E. Gander. Water-soluble reserve polysaccharides from Achyla are (1→3)-ß-glucans. 264–270
Legard, D. E. and W. E. Frey. Evaluation of field experiments by direct allozyme analysis of late blight lesions caused by Phytophthora infestans 608–612
Lemke, P. A. see Redkar, R. J., et al. 256–263
Lentz, D. L., H. Gershon, H. Marini, and G. A. Gentry. The anticandidal properties of chlorinated 8-quinolinols. 651–654
Leslie, J. F. see Plattner R. D. et al. 416–424
Leuchtmann, A., O. Petrini, and G. J. Samuels. Isozyme subgroups in Trichoderma section Longibrachiatum. 384–394
Li, Y. see Kretzer, A., et al. 776–785
Lichens 745
branching in podetia 71–79
as substrates in the Antarctic 922–933
Lichtwardt, R. W. see Grigg, R. and R. W. Lichtwardt. 219–229
Lichtwardt, R. W. and J. Arenas M. Trichomycetes in aquatic insects from southern Chile. 844–857
Life history
of Athelia and Rhizoctonia 459–472
Liljebjelke, K. A. see Mims, C. W., et al. 47–56
Lipari, S. E. see Milgroom, et al. 179–190
Lodge, D. J. see Samuels, G. J. and D. J. Lodge. 302–315
Lodge, D. J., P. J. Fisher, and B. C. Sutton. Endophytic fungi of Manilkara bidentata leaves in Puerto Rico. 733–738
Macroconidia
germination 271–277
Magnelli, P., A. M. Ramos, and F. Forchiassin. Factors influencing cellulase production Saccobolus saccoboloides. 249–255
Maharning, A. R. and F. Bärlocher. Growth and reproduction in aquatic hyphomycetes. 80–88
Mahoney, D. P. see Bell, A. and D. P. Mahoney. 163–170
Marasas, W. F. O. see Rheeder, J. P., et al. 509–513
Marini, H. see Lentz, D. L., et al. 651–654
Marshall, J. see Tweddell, R. J., et al. 410–415
Martin, T. I. see White, Jr., J. F., et al. 89–97
Martin, T. I. see White, Jr., J. F., et al. 174–178
Martinez, C. see Koske, R., et al. 947–950
Martínez-Ferrer, G. see Alfaro-García, A., et al. 804–808
Mason, P. A. see Ingleby, K. and P. A. Mason. 548–553
Mating population
in Fusarium 965–969
Mating system
in Pleurotus 198–207
McDougall, D. N. and R. A. Blanchette. Metal ion absorption by pseudosclerotial plates of Phellinus weirii. 98–103
McKenny, J. M. and C. J. K. Wang. A new species of Sporidesmiella from New York. 129–131
McLaughlin, D. J., E. M. Frieders, M. E. Berres, J. C. Doublés, and S. M. Wick. Immunofluorescence analysis of the microtubule cytoskeleton in the yeast phase of the basidiomycetes Kriegeria eriophori and Septobasidium carestianum. 339–349
Medical mycology 786–796
Melo, I. see Larsen, M. J. and I. Melo. 839–843
Melon collapse 804–808
Memorial 151–157, 1032–1035
Meristems
in Cladonia 533–538
Metal ion adsorption
by Phellinus weirii 98–103
Metz, S. see Gabel, A., et al. 635–641
Michailides T. J. see Free, S. J., et al. 208–211
Michailides, T. J. see Vágvölgyi, C., et al. 602–607
Microfungi
in the Antarctic 922–933
Microtubule cytoskeleton
in basidiomycetous yeasts 339–349
Microtubule patterns
phylogenetic value 347
Miklus, M. B. and R. B. Beelman. $CaCl_2$ treated irrigation water applied to mushroom crops (Agaricus bisporus) increases Ca concentration and improves postharvest quality and shelf life. 403–409
Milgroom, M. G., K. Wang, Y. Zhou, S. E. Lipari, and S. Kaneko. Intercontinental population structure of the chestnut blight fungus, Cryphonectria parasitica. 179–190
Miller, Jr., O. K., D. E. Hemmes, and G. Wong. Amanita marmorata subsp. myrtacearum—a new subspecies in Amanita section Phalloideae from Hawaii. 140–145
Miller, Jr., O. K., T. J. Volk, and A. E. Bessette. A new genus, Leucopholiota in the Tricholomataceae (Agaricales) to accommodate an unusual taxon. 137–139
Mims, C. W., K. A. Liljebjelke, and S. F. Covert. Ultrastructure of telia and teliospores of the rust fungus Cronartium quercuum f. sp. fusiforme. 47–56
Mischke, S. and P. B. Adams. Temporal and spatial factors affecting germination of macroconidia of Sporodesmium sclerotiorum. 271–277
Mixed mating systems
in Agaricus bisporus 749–761
Molecular evolution 212–238, 361–402, 596–601, 762–785, 986–995
in ambrosia fungi 596–601
Mueller, G. M. see Albee, S. R., et al. 970–976
Muerte súbita
of muskmelon 804–808
Muldoon, A. E. see Jaffee, B. A., et al. 554–564
Mullins, J. T. see Lee, J. H., et al. 264–270
Mushroom culture 403–409
Mycangial fungi
on bark beetles 739–744
Mycoparasite
of Sclerotinia 271–277
of Rhizoctonia 410–415
Mycotoxins
in Gibberella 416–424
Möller, C. and M. M. Dreyfuss. Microfungi from Antarctic lichens, mosses, and vascular plants. 922–933
Nakasone, K. K. Morphological and molecular studies on Auriculariopsis albomellea and Phlebia albida and a reassessment of A. ampla. 762–775
Nelson, P. E. see Plattner R. D. et al. 416–424
Nelson, P. E. see Rheeder, J. P., et al. 509–513
Nelson, P. E. see Klaasen, J. A. and P. E. Nelson. 965–969
Nematode trapping fungi
in a shrubland 554–564
Neotypification
of Boletus pini 839–843
Newell, S. Y. and J. W. Fell. Cues for zoospore release by marine oomycotes in naturally decaying submerged leaves. 934–938
Nicholson, R. L. see Anderson, D. W. and R. L. Nicholson. 996–1002
Nomenclature
author citations 146–150
of PCR primers 745–748
Norman, J. E. and K. N. Egger. Phylogeny of the genus Plicaria and its relationship to

Peziza inferred from ribosomal DNA sequence analysis. 986–995
Notice 1036
Nuclear behavior
in Cronartium 892–896
O'Gara, E. T. see Cope, M., et al. 523–532
Osmotic shock
in cellular slime molds 819–830
Outbreeding
in Agaricus bisporus 749–761
Paine, T. D. see Six, D. L. and T. D. Paine. 739–744
Palm, M. E. [Review of] The identification and characterization of pest organisms. 520–521
Palágyi, Z. see Vágvölgyi, C., et al. 602–607
Papp, T. see Vágvölgyi, C., et al. 602–607
Paracapillitium
in Morganella 655–661
Pathogen
of carrots in cold storage 459–472
Pathology 104–128, 239–248
Paul, J. A. see Banik, M. T., et al. 522
Peripheral vescicles
in zoospores 523–532
Perithecium development
in Podospora 163–170
Petersen, R. H. and G. S. Ridley. A New Zealand Pleurotus with multiple-species sexual compatibility. 198–207
Peterson, S. W. [Review of] The genus Aspergillus, from taxonomy and genetics to industrial applications. 517–518
Petrini, O. see Leuchtmann, A., et al. 384–394
Petäistö, R.-L., A. Uotila, M. Hellgren, J. Kaitera, J. Tuomainen, and E. O. Kajander. Two types of the European race of Gremmeniella abietina can be identified with immunoblotting. 619–625
Phallotoxin compostion
in Amanita phalloides 909–921
Phenol oxidizing enzyme 996–1002
Philip, B. A. see Cope, M., et al. 523–532
Phipps, C. J. and T.N. Taylor. Mixed arbuscular mycorrhizae from the Triassic of Antarctica. 707–714
Phosphodiester linkages
in polysaccharides of Achlya 264–270
Photo-induction
in Pilobolus 642–646
Phylogenetic relationships
of Peziza 986–995
Phylogeny
in Suillus 776–785
of Plicaria 986–995
Physiology/biochemistry 410–424, 642–654, 809–838, 996–1002
Plant and animal pathogens 786–808
Plant pathogens 425–483, 602–641, 1003–1013
Plasmids
in mitochondria of marine fungi 350–357
Plattner, R. D., A. E. Desjardins, J. F. Leslie, and P. E. Nelson. Identification and characterization of strains of Gibberella fujikuroi mating population A with rare fumonisin production phenotypes. 416–424
Podetia
variation in Cladonia 71–79
Podetia development
in Cladonia 533–538
Polymorphisms
identify Laccaria proxima strains 970–976
Polyphenol oxidase 996–1002
Polysaccharides (reserve)
in Achlya 264–270
Population analysis
of Phytophthora infestans 608–612
Population structure
in Cryphonetria parasitica 179–190
in Lycoperdon pyriforme 977–985
Porter, D. see Dogget, M. S. and D. Porter 720–732
Portrait
Lemke, P. A. 1032
Olson, L. W. 151
Rossman, A. Y. 2
Powell, J. H. see Horn, B. W., et al. 574–587
Presidential address
Rossman, A. Y. 1–19
Price, R. see Glenn, A. E., et al. 369–383
Protein patterns
in polypores 395–402
Pseudosclerotial plates
formed by Phellinus weirii 98–103
Psychrophilic fungi 922–933
Punja, Z. K. and A. Damiani. Comparative growth, morphology, and physiology of three Sclerotium species. 694–706
Quorn 3
Ramaley, A. W. Comminutispora gen. nov. and its Hyphospora gen. nov. anamorph. 132–136
Ramos, A. M. see Magnelli, P., et al. 249–255
Rayachhetry, M. B., G. M. Blakeslee, R. S. Webb, and J. W. Kimbrough. Characteristics of the Fusicoccum anamorph of Botryosphaeria ribis, a potential biological control agent for Melaleuca quinquenervia in South Florida. 239–248
Redkar, R. J., P. A. Lemke, and N. K. Singh. Altered gene expression in Aspergillus nidulans in response to salt stress. 256–263
Reproductive morphology
of Peronospora 473–483
Review
of hyphal tip growth 20–37
Rheeder, J. P., W. F. O. Marasas, and P. E. Nelson. Fusarium globosum, a new species from corn in southern Africa. 509–513
Ridley, G. S. see Petersen, R. H. and G. S. Ridley. 198–207
Roberson, R. W. see Srinivasan, S., et al. 57–70
Rossman, A. Y. Morphological and molecular perspectives on systematics of the Hypocreales. 1–19
Roy, K. W. Falcate-spored species of Colletotrichum on soybean. 1003–1009
Sadler, D. A., R. D. Cartwright, and G. E. Templeton. The holomorph connection of Aecidium plucheae and Puccinia angustatoides. 171–173
Salcedo, I. see Duñabeitia, M. K., et al. 897–908
Salt stress
in Aspergillus 256–263
Samuels, G. J. see Leuchtmann, A., et al. 384–394
Samuels, G. J. and D. J. Lodge. Three species of Hypocrea with stipitate stromata and Trichoderma anamorphs. 302–315
Sand dune fungi 947–950
Sapstreak disease of maple 104
Schultz, E., G. P. Chamuris, and S. Dallabrida. Screening wood-/and bark inhabiting Basidiomycetes for esterase activity in liquid stationary culture. 831–838
Schwartz, R. E. see Horn, W. S., et al. 588–595
Sclerotia
of Rhizoctonia 459–472
Sea water dispersal
in arbuscular mycorrhizal fungi 947–950
Secondary metabolites
in Phomopsis 588–595
Septal pore ultrastructure 38–46
Sexual reproduction
in chytrids 720–732
Shahidi, F. see Hampson, M. C., et al. 647–650
Shanks, K. M. New species of Tricholoma from California and Oregon. 497–508
Simmonds, M. S. J. see Horn, W. S., et al. 588–595
Singh, N. K. see Redkar, R. J., et al. 256–263
Six, D. L. and T. D. Paine. Leptographium pyrinum is a mycangial fungus of Dendroctonus adjunctus. 739–744
Sobolev, V. S. see Horn, B. W., et al. 574–587
Sood, S. G. Production of chlamydospores by Fusaria in onion (Allium cepa) bulb extract. 1010–1013
Sooty blotch
of apple 114–120
Soybean pathogens 1003–1009
varieties 425–440
Soybean pathogens
Spaine, P. C. and S. Kaneko. Nuclear behavior during basidiospore germination in Cronartium quercuum f. sp. fusiforme. 892–896
Species diversity
in tropical forests 733–738
Spectrin
hyphal tip growth 20–37
Spitzenkörper
hyphal tip growth 22, 26
in Allomyces macrogynus 57–70
Spore germination
in arbuscular mycorrhizal fungi 947–950
Sporulation
in Acremonium isolates 809–815
Sporulation peak
of aquatic hyphomycetes 80, 83–87
Srinivasan, S., M. M. Vargas, and R. W. Roberson. Functional, organizational, and biochemical analysis of actin in hyphal tip cells of Allomyces macrogynus. 57–70
Steimel, J. P. see Harrington, T. C., et al. 104–113
Strains

of Colletotrichum gloeosporioides 121,122
of Gibberella fujikuroi 416–424
Stromata with stipes
in Hypocrea 302–315
Strong, D. R. see Jaffee, B. A., et al. 554–564
Studt, R. see Gabel, A., et al. 635–641
Suberin degradation
by Mycena meliigena 831–838
Sutherland, P. W. see Falloon, R. E. and P. W. Sutherland. 473–483
Sutton, B. J. see Lodge, D. J., et al. 733–738
Sutton, T. B. see Johnson et al. 114–120
Suárez, V. L. and J. E. Wright. South American Gasteromycetes V: The genus Morganella. 655–661
Syringaldazine 996–1002
Systematics 129–150, 278–327, 484–516, 655–670, 839–884, 1014–1031, 885–891
Szaro, T. see Kretzer, A., et al. 776–785
Taylor, J. and S. Clark. Infection and fungal development of Tubakia dryina on sweet gum (Liquidambar styraciflua) 613–618
Taylor, T. N. see Phipps, C. J. and T. N. Taylor. 707–714
Teliospore ultrastructure
in Cronartium 47–56
Temesvari, L. A., G. Klein, and D. A. Cotter. Environmental influence on trehalogenesis in maoebe of the cellular slime molds. 819–830
Templeton, G. E. see Sadler, D. A., et al. 171–173
Tensegrity
hyphal tip growth 20–37
Textura epidermoidea 12
Thermal shock
in cellular slime molds 819–930
Timmer, L. W. see Zulfiqar, M., et al. 121–128
Tip growth
in hyphae of Saprolegnia 20–37
Toxin composition
in Amanita phalloides 909–921
Trehalose
in cellular slime molds 819–830
Trese, A. T. see Bryan, R. J., et al. 358–360
Tribe Balansieae 89
Trichomycetes
in southern Chile 844–857
Truffles
ultrastructure 38–46
Tuomainen, J. see Petäistö, R.-L., et al. 619–625
Tweddell, R. J., J. Marshall, and S. H. Jabaji-Hare. Endo-1,4ß-glucanase production by Stachybotrys elegans, a mycoparasite of Rhizoctonia solani. 410–415
Uotila, A. see Petäistö, R.-L., et al. 619–625
Vágvölgyi, C., T. Papp, Z. Palágyi, and T. J. Michailides. Isozyme variation among isolates of Mucor piriformis. 602–607
Van Wijk, P. S. see Crous, P. W., et al. 786–796
Vargas, M. M. see Srinivasan, S., et al. 57–70
Vegetative compatibility
in Ophiostoma 951–964
Velcko, Jr., A. J. see Imbernon, M., et al. 749–761
Volk, T. J. see Miller, Jr., O. K., et al. 137–139
Volk, T. J. see Banik, M. T., et al. 492–496
Volk, T. J., H. H. Burdsall, Jr., and M. T. Banik. Armillaria nabsnona, a new species from western North America. 484–491
Volkmann-Kohlmeyer, B. see Kohlmeyer, J. and B. Volkmann-Kohlmeyer. 328–337
Waalwijk, C., J. R. A. de Koning, R. P. Baayen, and W. Gams. Discordant groupings of Fusarium spp. from sections Elegans, Liseola and Dlaminia based on ribosomal ITS1 and ITS2 sequences. 361–368
Wang, C. J. K. see McKenny, J. M. and C. J. K. Wang. 129–131
Wang, J. R., P. Zhang, T. Huang, and M. F. Zhang. Molecular characterization of the cbh2 gene of Trichoderma viride. 191–197
Wang, K. see Milgroom, M. G., et al. 179–190
Wart disease
of potato 647–650
Water relations
in Acremonium isolates 809–815
in Epichloë 816–818
in Claviceps purpurea 816–818
Webb, M. C. see Cope, M., et al. 523–532
Webb, R. S. see Rayachhetry, M. B., et al. 239–248
Weber, N. S. see Cibula, W. G. and N. S. Weber. 514–516
Weir, A. and G. W. Beakes. Correlative light-/and scanning electron microscope studies on the developmental morphology of Herpomyces virescens. 677–693
White, Jr., J. F., T. E. Drake, and T. I. Martin. Endophyte-host associations in grasses. XXIII. A study of two species of Balansia that form stromata on nodes of grasses. 89–97
White, Jr., J. F., T. I. Martin, and D. Cabral. Endophyte-host associations in grasses. XXII. Conidia formation by Acremonium endophytes on phylloplanes of Agrostis hiemalis and Poa rigidifolia. 174–178
Wick, S. M. see McLaughlin, D. J., et al. 339–349
Wingfield, M. J. see Harrington, T. C., et al. 104–113
Wingfield, M. J. see Crous, P. W. and M. J. Wingfield. 441–458
Wingfield, M. J. see Crous, P. W., et al. 786–796
Wong, G. see Miller, Jr., O. K., et al. 140–145
Wright, J. E. see Suárez, V. L. and J. E. Wright. 655–661
X-ray microanalysis
of Myxomycetes 316–327
Yeast-like fungi 212–218
Zhang, M. F. see Wang, J. R., et al. 191–197
Zhang, P. see Wang, J. R., et al. 191–197
Zhou, Y. see Milgroom, M. G., et al. 179–190
Zoospore release
in oomycotes 934–938
Zoospores
in Oomycetes 523–532
Zulfiqar, M., R. H. Brlansky, and L. W. Timmer. Infection of flower and vegetative tissues of citrus by Collectotrichum acutatum and C. gloeosporioides. 121–128

FUNGUS TAXA INDEX

The names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter following the page number on which the figure(s) occur.

Acaulospora 712
rugosa 940, 941f, 943f, 943, 944f
spinosa 940, 941f, 943f, 943, 944f
Achlya 264, 265
bisexualis 264
Acladium
atrum 1023
Acompsomyces 682, 691, 692
atomariae 691
Acremonium 7, 11, 12, 14, 15, 174, 177, 302, 307, 309f, 369–371, 373, 374, 375f, 377, 379–381, 539, 540, 543–546, 716, 718, 786, 787, 789, 790, 805, 809, 810, 812f, 813, 814f, 816, 929
sect. Acremonium 369–371, 807
sect. Albo-lanosa 174, 539, 809
sect. Albolanosa 369–371, 374, 377, 379
sect. Chaetomioides 369–371, 379, 380
sect. Gliomastix 369–371
sect. Lichenoidea 370, 371, 379
sect. Nectrioidae 371
sect. Nectrioidea 369–371, 379
sect. Nectroidea 807
sect. Simplex 807
alabamense 371, 372, 374, 374f–376f, 379–381
alternatum 369–372, 374, 374f–376f, 377, 379–381
berkeleyanum 371
butyri 924, 928
cerealis 924, 928
charticola 807
chilense 546
chisosum 539, 545, 546
chrysogenum 2, 3, 371, 372, 374, 374f–376f, 377, 379
coenophialum 177, 370–372, 374f–376f, 377, 381, 539, 541f, 545, 545f, 809, 810, 813
crotocinigenum 807
cucurbitacearum 804, **850**, 805f, 806, 807
furcatum 371–373, 374f–376f
kiliense 371, 372, 374, 374f–376f, 379, 807

murorum 371, 372, 374f, 379
psychrophilum 924, 928–930
rutilum 371, 372, 374f, 379, 924, 927f, 928
sclerotigenum 807
sp. 371, 804
species 546, 817
spp. 544
starrii 539, 541f, 543, 545, 545f, 809, 810
strictum 371, 372, 374f–376f, 379, 807
typhinum 175, 176f, 177, 371, 377, 809, 810
var. typhinum 371
uncinatum 371, 372, 374f, 376f, 378, 544–546
Acrogenotheca
elegans 1014
Acrothecium
obovatum 1023
Actinopelte
americana 613
dryina 613
Aecidium
plucheae 171, 173
plucheae-capsicae 171
plucheae-ovalis 171
Aethalium 316
Agaricostilbum
pulcherrimum 340, 345, 346
Agaricus 149, 749, 1032
tribus Tricholoma 137
bisporus 2, 252, 403, 408, 649, 749, 752, 754, 760
var. bisporus 749–751, 760
var. burnettii 749, 750, 760
bitorquis 351
campestris 148, 149
decorosus 137, 138
melleus 137, 484
paludosus 288
Agrocybe
sect. Agrocybe 293
Ajellomyces 379
Akanthomyces 718
Albosynnema 14, 15
Aleurodiscus
oaksii 831–837, 836f
Allantonectria 9, 10
Allomyces 152, 153
macrogynus 57, 60, 61f, 62f, 65f, 67f, 68, 152, 720, 730
Alternaria
alternata 924, 928
cf. chlamydospora 924, 928
Amanita 140, 149
sect. Phalloideae 140, 142, 144
marmorata 140, 143, 144
subsp. **myrtacearum 140**, 141f, 142f, 144
muscaria 148, 149, 905
phalloides 144, 909, 910, 914, 920
reidii 140, 144
suballiacea 918
verna 142
virosa 142
Amaurochaete 326
Ambrosiella 596–600.
brunnea 596–598, 599f
gnathotrichi 596–598, 599f
ips 596–598, 599f
macrospora 596–598, 599f
sp. 216
sulcati 596–598, 599f
sulfurea 596–598, 599f
tingens 598, 600
Ambrosiozyma
platypodis 598, 599f
Amoebidium 226
parasiticum 219, 222, 223, 224, 226f
Anguillospora
filiformis 80, 82, 84, 85f, 87
longissima 84
Anixiella
endodonta 169
Anthracothecium
libricolum 135
Antipodium
spectabile 10
Aphanomyces
species 602
Aphysiostroma 7
Apostemidium 12
Arenariomyces
parvulus 352
triseptatus 352
Armillaria 98, 100, 102, 137, 138, 484, 485, 487, 489, 490, 492, 495, 508, 993
subg. Leucopholiota 137, 138
NABS IX 484, 485, 487, 490, 492
NABS X 492, 495
NABS XI 492, 493, 494f, 495
calvescens 485, 493
cepistipes 492, 494, 495
decorosa 137, 138
gallica 485, 493–495, 494f
mellea 484, 489, 490, 508, 831
nabsnona 484, 486f, **487**, 488f, 489, 490, 492–495, 494f
olida 508
ostoyae 98, 490, 492–495, 494f, 973
sinapina 492–495, 494f
species 484, 485, 487, 489, 490, 492–495
Armillariella 138
Arnium
arizonensis 169
Arthrinium
sacchari 735, 736f
Arthrobotrys
brochopaga 554, 558, 561, 562
musiformis 554, 558, 559, 561
oligosporus 554, 557–559, 561, 562
Arthroderma
cf. cuniculi 924, 928
Arthrosporus
superba 554, 559, 561
Articulospora
tetracladia 80, 82, 85f, 87
Ascobolus 328
furfuraceus 249, 253
immersus 249
Ascochyta 929
pteridis 635
sp. 924, 928
Ascocoryne 787
Ascopolyporus 4f, 5, 11
Ascosphaera 379, 380, 797, 802
acerosa 797, **798**, 799, 799f–801f, 801, 802
aggregata 797, 798, 802
apis 372, 374f
asterophora 800–802
atra 802
celerrima 802
cinnamomea 802
fimicola 802
fusiformis 802
larvis 802
major 802
naganensis 802
osmophila 802
pollenicola 802
proliperda 802
scacarria 802
tenax 802
variegata 802
verrucosa 802
xerophila 802
Aspergillus 25, 26, 30, 32, 143, 223, 423, 1032
sect. Flavi 585
flavus 296, 298f, 574, 575, 577f, 577–585
fumigatus 214, 223, 225, 227f, 253, 598, 599f
nidulans 21, 67, 256–261, 574, 584
niger 649
parasiticus 574, 575, 577f, 577–585
sp. 929
species 574, 675, 582–584
tamarii 574, 575, 576f–578f, 577–583, 585
terreus 253
Asteromella 446
Asteromyces
cruciatus 352
Atelocauda
koae 675
Athelia 459, 460, 469–471
arachnoidea 459–467, 462f–468f, 469–471
var. arachnoidea 469
var. leptospora 469
var. sibirica 469
bombacina 214, 215, 215f, 459, 461
decipiens 461, 464
epiphylla 459, 460, 462, 464, 465f, 466, 467, 468f, 469–471
munda 461, 464
neuhoffii 461, 464, 467, 471
pellicularis 461, 464
rolfsii 459, 461, 463, 464, 467f, 470, 694, 700
Atkinsonella 89, 369, 374, 378, 380, 381, 546
hypoxylon 372, 374f–376f
texensis 546
Aureobasidium 132, 136, 213, 214
pullulans 213, 214, 215f, 216
Auricularia
auricula-judae 347
Auriculariopsis 762, 763, 772, 773
albomellea 762–766, 765f, 766f, 772
ampla 762–766, 764f–766f, 771, 772
melzeri 766
Balansia 89, 369, 374, 380, 813
aristidae 89, 90, 96, 372, 374f–376f
discoidea 89
henningsiana 372, 374f–376f
nigricans 89, 90, 91f, 92f, **93**–97, 94f, 95
obtecta 372, 374f–376f
sclerotica 214, 215f, 372, 374f–376f, 598, 599f
strangulans 89, 90, 91f, 92f, 93–97, 94f, 95f, 372, 374f–376f
Balansiopsis 89, 369
Balsamia 38
Barssia
oregonensis 38, 39, 40f, 41, 42f–44f, 45
Barya
agaricicola 4f, 5, 11
Basidiobolus 24, 328
Basidioradulum
pallidum 768, 769
tuberculatum 768
Basipetospora 380
Beauveria 718
spp. 685
Bettsia
alvei 802
Bionectria 3, 11, 15
tonduzi 14
Blastomyces
dermititidis 214, 215f, 598, 599f
Blumeria
graminis 214, 215f
Boletinellus
spectabilis 779
Boletinus 776, 778, 779, 780f, 781, 784
asiaticus 776, 778, 781, 784
cavipes 776, 778f, 781
decipiens 778
grisellus 778, 784
lakei 778
ochraceoroseus 778

paluster 776, 778, 781, 784
pictus 779
Boletus 897, 907
edulis 148, 149, 903
pini 839–841
pinophilus 296, 298f, 299, 300, 897, 898, 899, 899f, 903, 907
Botryosphaeria 239, 240
dothidea 239, 240, 246, 247
ribis 239–241, 242f, 243, 244f, 245–247
Botryotinia
fuckeliana 216
Botrytis
cinerea 3, 216, 633, 929
Botyrocrea 15
sclerotioides 15
Bovista
asterospora 658
puiggarii 658, 659f
Bullera
alba 345
Butlerelfia
eustaci 461
Byssomerulius
incarnatus 768
Byssostilbe
stilbigera 11
Calonectria 1, 6, 9, 10, 11
ilicicola 11
Caloplaca
regalis 923
sublobulata 923
Camarosporium
sp. I 924, 928
sp. II 925, 928
sp. III 925, 928
Candida 212, 214
albicans 214, 215f, 345–347, 598, 599f, 651–653
ernobii 212
karawaiewii 212
tropicalis 214, 215f, 372, 373, 374f–376f, 651, 653, 654
xestobii 212
Cantharellus 295, 298f, 299, 300
cibarius 296, 298f, 299, 300
cinnabarinus 296, 298f, 299, 300
lateritius 296, 298f, 299, 300
minor 296, 298f, 299, 300
species 295
tabernensis 295, 297f, 298f, **299**, 300
Capniomyces 219, 226
stellatus 219, 220, 225, 226f
Catathelasma 138
Catenaria
allomycis 720, 730
Catenularia
atra 1023
Cenococcum
geophilum 664
Cephaloascus
fragrans 598, 599f
Cephalosporium 370, 804, 806, 1032
gramineum 813
maydis 787
sp. 786
Cephalosporium-like 786
Ceratocystiopsis 596, 742
spp. 742
Ceratocystis 373, 596, 599, 600
adjuncti 739
coerulescens 104–106, 109, 110f, 110–112
f. douglasii 104, 106, 109–111
fimbriata 214, 215f, 372, 374f–376f, 598, 599, 599f
huntii 739
laricicola 104–106, 109–111
polonica 104–106, 109–111
sp. 104, 105, 107, 109, 110
virescens 104, 105, 107, 109, 110, 598, 599, 599f
Ceratophorum 1020
epiphyllum 1020
helicosporum 1020
uncinatum 1020
Cercostigmina 444
Chaetomium 370, 374, 379, 596
globosum 372, 374f–376f, 599f, 924, 928
sphaerale 735, 736f
Chalara
australis 104, 105, 107, 109, 110
constricta 924, 928
neocaladoniae 104, 105, 108–110
sp. 924, 926, 927f, 928
Chanterel 295
Chaunopycnis
alba 924, 926, 927, 927f, 928, 931
ovalispora 925, 928–930
Chilonectria 9
Chondrostereum
purpureum 832, 834
Chromelosporium 986
ollare 925, 928
Chroogomphus 778, 779, 784
vinicolor 777, 778, 780f, 782f
Chrysosporium 380
Chuppia 1021
Chytriomyces
aureus 730
hyalinus 727
Cladina 75, 533
Cladonia 71–78, 533, 537, 538
sect. Cladonia 533, 534
sect. Ochroleucae 76
sect. Perviae 71, 73, 75, 78
sect. Unciales 78
andesita 534, 536f
apodocarpa 76f, 78
artuata 72f, 73, 75, 76f, 77
atlantica 76f, 77
carneola 76
cenotea 72f, 73, 75
cervicornis 533, 534, 535f, 536–538
subsp. verticillata 535f, 536f
chlorophaea 747
firma 533, 534
floridana 72f, 73, 74, 76f
glauca 75, 76
gracilis 534
subsp. turbinata 533
grayi 76
imperialis 533
macrophyllodes 533, 534, 538
merochlorophaea 533, 534
poroscypha 72f, 73, 75
rappii 534
singularis 72f, 73, 75, 77f
squamosa 75, 76f
subulata 76, 533, 534
thiersii 72f, 73, 75
verruculosa 534, 537
verticillaris 533, 534, 538
Cladorhinum 14
Cladosporium 929
aterrimum 1023
herbarum 924, 927f, 928
sp. 925, 928, 929
spp. 929
Cladotrichum
mitratum 1024
simplex 1023
tapesiae 1023
uniseptatum 1023
Clasterosporium 1020
Claviceps 11, 378, 380, 381
paspali 598, 599f
purpurea 351, 372, 374f–376f, 539, 542f, 544, 816, 817, 818f
Clavulinopsis
aurantio-cinnabarina 298f
var. aurantio-cinnabarina 296
Clitocybe
truncicola 206
Clonostachys 3, 11, 14, 15
Coccidioides
immitis 598, 599f
Cochliobolus 169
Coleosporium
helianthi 892
petasitis 892, 896
sidae 892
tussilaginis 892
vernoniae 892
Colletogloeum
nubilosum 444
Colletotrichum 1003
acutatum 121–127, 124f–127f
capsici 1003–1008, 1006f
crassipes 735, 736f
dematium 1003, 1005, 1006
f. truncatum 1003–1008
gloeosporioides 121–127, 124f–126f, 831
graminicola 996, 997, 998f, 999, 1000f, 1001, 1003, 1004, 1007
indicum 1008
lagenarium 831
orbiculare 831
species 633
truncatum 1003, 1004, 1006
Comminutispora 132
agavaciensis 132–136, **133**, 134f
Coniochaete 787
Coniophora
sp. 470
Coniothyrium
fuckelii 735, 736f
minitans 275
Coprinus 749
cinereus 359
Cordycepioideus 13
Cordyceps 3, 378
brevipes 303
capitata 11, 372, 374f–376f
facis 715
ophioglossoides 11
spp. 370
strangulans 93
subsessilis 715, 716, 716f, 717f, 718
Corollospora
fusca 352
lacera 352
maritima 352
pulchella 352
spp. 333
Corticium 470
arachnoideum 469, 470
centrifugum 459, 469, 470
minnsiae 328
pelliculare 461
pendulum 768, 769
roseum 832, 834
subcostatum 768, 769
Cortinellus 137
decorosus 137, 138
Coryne 787
Coryneum 1020
Cribraria 320–322, 326, 327
argillacea 316, 326
cribrarioides 327
intricata 321
microcarpa 321
Cronartium
asclepiadeum 892, 896
quercuum
f. sp. fusiforme 47–56, 48f, 50f, 51f, 53f, 54f, 892–894, 894f, 895f, 896
ribicola 52, 55
Cryphonectria
cubensis 437, 457
parasitica 179–183, 185, 186, 187f, 188, 189, 372, 374f–376f
Cryptococcus
neoformans 214, 215, 215f, 345
Cryptomycella
pteridis 635
Cryptomycina
pteridis 635–638, 640

Cryptosporidium
parvum 359
Cudonia 12
Cupulomyces 692
Cylindrocarpon 11, 12, 929
sp. 924, 927f, 928
Cylindrocladium 1, 10
parasiticum 11
Cyphella
ampla 771, 772
Cystoderma 137
Cystostereum
pini-canadense 831–835
Cytidia
albomellea 762, 766–768
flocculenta 767, 771
salicina 768
Cytidiella 762, 772
albomellea 766
melzeri 762, 766, 768, 772
Dacryoma 14
Daedalea 840
pini 841
Daldinia
concentrica 372, 374f–376f, 598, 599f, 600, 649
Dendrochium 14
Dendrophora
albo-badia 831–836
Dendrothele
acerina 831–834
candida 832–834, 836
griseo-cana 831–834
Dendryphiella
salina 352
Descolea 278, 280
alienata 278, 279f, 280
antarctica 280
maculata 280
rheophylla 280
sp. 281
Dialonectria 9
Diaporthe 437, 439
arctii 427, 435
phaseolarum 214, 215f, 598, 599f
phaseolorum 372, 374f–376f, 425–428, 433f, 434f, 435–439
var. batatatis 438
var. caulivora 425, 426, 428, 429f, 430, 431, 431f–435f, 433, 435–438
var. **meridionalis** 425–433, 430f–435f, 435-**438**
var. sojae 425, 426, 428, 430–433, 430f–435f, 435–438
Dicarpella
dryina 613
Dichostereum
effuscatum 831–837, 835f
Dictydiaethalium 326
ferrugineum 326
Dictyostelium 32
discoideum 819, 820, 822, 823, 824f–827f, 826, 827
mucoroides 823
Didymella
rabiei 543, 545f
Diplococcium 1022
asperum 1024
catenulatum 1024
constrictum 1024
grovei 1024
indivisum 1023
stoveri 1024
uniseptatum 1023
Diplocystis
wrightii 861
Diplodia
natalensis 633
Dipolium
philosexualis 727
Dipsacomyces 223
acuminospora 223, 226f
Dothichloë
strangulans 93
Dothidea
pomigena 114, 115
Dothidia 136
Dothiora 136
Dothiorella 239, 240, 246, 247
Dyctidium 320, 322, 326
cancellatum 320, 321
Echinodothis 6, 11, 378, 380
tuberiformis 372, 374f, 378
Elachopeltis 119
Emericellopsis 370, 374, 380
minima 371, 372, 374, 374f–376f
terricola 371, 372, 374, 374f–376f
Endochaetophora 707
Endocronartium
sahoanum 675
yamabense 675
Endogone 707
Endothia
eugeniae 437
parasitica 67, 179
Enteridium 316, 326
Enteromyces
callianassae 855
Enterophspora 712
Entomophthora 328
Entrophospora
columbiana 940, 941f, 942, 943f, 943, 944f
sp. 940, 941f, 943, 943f, 944f
Ephelis 14, 380, 381, 546
borealis 378
sp. 93
Epichloë 3, 6, 11, 89, 96, 174, 175, 369, 370, 374, 377–381, 546, 790, 816, 817, 817f
amarillans 174, 177, 371, 372, 374f–376f
amarillians 372, 374f–376f
amaryllans 546, 816
baconii 546, 816
clarkii 546, 816
festucae 177, 372, 374f
nigricans 93
species 546
spp. 816
strangulans 93
typhina 89, 97, 370, 816
typhinum 543, 545f, 546
Epicoccum 929
nigrum 925, 928
Euantennaria 1014
Europhium 596
Eurotium
rubrum 372, 374f–376f
Euzodiomyces
lathrobii 565
Exobasidium 55
Exophiala 790
jeanselmei 214, 215f
mansonii 214, 215f
sp. 925, 928
Fanniomyces 565
Fibularhizoctonia 459, **464**, 471
carotae 464
centrifuga 466
Fischerula 38
Flagellospora
curvula 87
Floccularia 137, 138
decorosa 137, 138
straminea 137
Fomes
pini 839
Fomitopsis
pinicola 98–100
Furculomyces 219
boomerangus 220, 225, 226f
Fusarium 3, 12, 15, 16, 361, 423, 929, 1010
sect. Dlaminia 361–363, 365, 367
sect. Elegans 361–365, 367
sect. Liseola 361–363, 365, 367, 509, 512
anthophilum 512
aquaeductum 929
avenaceum 366, 735, 736f
beomiforme 361–366, 364f, 365f, 512
coccophilum 11
decemcellulare 2, 15, 735, 736f
dlamini 512, 361–363, 364f, 365, 365f
fujikuroi 361–366, 364f, 365f
globosum 509, 510f, 511f, 512
graminearum 3
isolate BBA 65467 361–366, 365f
larvarum 11
moniliforme 366, 416, 417, 512
var. subglutinans 366
napiforme 361–366, 364f, 365f, 512
nygamai 361–366, 364f, 365f, 512, 965–967, 967f, 968
oxysporum 1, 15, 361–363, 364f, 365f, 366
f. sp. ciceri 1010–1013
f. sp. dianthi 363
f. sp. lini 1010, 1012
f. sp. lycopersici 1010, 1012
f. sp. pisi 1010, 1012
polyphialidicum 361–366, 364f, 365f
proliferatum 361–366, 364f, 365f, 512
redolens 361–363, 364f, 365, 365f, 366
f. sp. dianthi 363
sacchari
var. sacchari 361–366
sambucinum 362
semitectum 1010–1012
solani 1, 15, 735, 736f, 831, 1010, 1012
f. sp. pisi 831, 832
sp. 925, 928
spp. 1010–1012
subglutinans 361–366, 364f, 365f, 512
tabacinum 16
udum 1010, 1012
verticillioides 361–366, 364f, 365f, 512
Fuscoboletinus 776, 778, 779, 780f, 781, 784
aeruginascens 778
grisellus 778, 784
ochraceoroseus 778
paluster 778, 784
serotinus 778, 784
sinuspaulianus 778
spectabilis 779
weaverae 779, 784
Fusicoccum 239–241, 242f, 243, 244f, 245–247
Gaeumannomyces 366
graminis 3
Galactinia
muricata 987
Galera
paludosa 288
Galerina 278, 281, 283
sect. Inocybeoides 284
sect. Mycenopsis 283, 288
sect. Naucoriopsis 288, 290
subsect. Bulluliferinae 288
stirps Cedretorum 290
stirps Marginata 288
atkinsoniana 281, 282, 283, 290
decipiens 281, 282, 282f, 283, 291
dominici 286
hypnorum 283
majalis 288
marginata 278, 293
mycenoides 286
nana 283, 284, 290
ohiarum 278, **285**, 285f, 286, 291
paludosa 286, 287, 290
peladae 288
physospora 287, 287f, 288, 291

reflexa 278, 290
subpectinata 290
sulciceps 290
taimbesinhoensis 283
triscopa 278, 293
tsugae 286
uchumachiensis 278, 283
velutipes 288, 289f, 290, 291
vittaeformis 278, 282
Gastrosuillus 778, 779
laricinus 777, 778, 780f, 782f, 783f
Gaumannomyces 787
Gautieria 897, 907
othii 897, 898, 900, 900f, 903, 907
Geastrum 858, 862, 863, 864, 873, 882, 883
barbatum 883
congolense 861
corollinum 861
dubowskii 861
floriforme 858
lilloi 858, 859f, 860f, 861
mirabile 861
rhizophorum 861
saccatum 861
schweinitzii 861
stipitatum 861
subiculosum 861
Geastrumia
polystigmatis 114
Gelasinospora 169
longispora 169
reticulospora 169
Genea 39
Geniculifera
paucispora 554, 558–562
Genistelloides 219, 226
hibernus 219, 220, 224, 225, 226f
Genistellospora 857
homothallica 851, 853f, 855, 857
Geomyces
pannorum 927f, 929
var. pannorum 924, 926, 928
var. vinaceus 924, 928
spp. 929
Geopora 38
Geopyxis 45
Gibberella 1, 3, 11, 15, 16, 361
fujikuroi 416–419, 421, 422
nygamai 965, **967**, 968
Gigasperma 662, 663
americanum 662-664, 663f
clelandi 662
cryptica 662, 664
Gigaspora 712
albida 940, 941f, 942, 943f, 944f
gigantea 940, 941f, 942, 943f, 944f, 947–949, 948f, 949f
margarita 939, 940, 941f–943f, 943–945, 944f, 949
rosea 945
Gigasporites 708f, **709**, 710, 712,
myriamyces 708f, **709**, 710, 712, 713
Gilbertella 26, 31
persicaria 67, 68
Gliocephalotrichum
bulbilium 14
Gliocladium 3, 7
roseum 11, 15
virens 3
Gliomastix 370
Gloeodes
pomigena 114–117
Gloeosporium
limetticolum 121
Glomerella
cingulata 735, 736f
Glomerobolus 328, **329**, 331, 333
gelineus 328–331, **329**, 330f–332f, 333, 334f–336f
Glomites 708f, 710, 711f, 713
cycestris 709, 710, 711f, 712,
Glomus 707, 709, 710, 712
clarum 940, 944
etunicatum 940, 941f, 943, 943f, 944f
manihot 940, 944
mosseae 939, 940, 941f–943f, 943–945, 944f, 949
rosea 940
Gomphidius 778, 779, 784
glutinosus 777, 778, 780f, 782f
Graminella
microspora 851, 853f, 855, 857
Grandigallia
dictyospora 136
Grandinia
tuberculata 768, 770, 771
Gremmeniella
abietina 619, 620f, 623, 624
var. abietina 624
var. balsamea 624
Guignardia
bidwellii 626
Gymnosporangium
clavariiforme 892
clavipes 55
juniperi-virginanae 55, 892, 896
Gyromitra
esculenta 214, 215f
Haematomma
erythromma 923
Halophytophthora 934, 936, 937
bahamensis 936, 937
epistomium 936, 937
kandeliae 936
masteri 936–938
spinosa 937, 938
var. spinosa 936
tartarea 936, 937
vesicula 934, 936–938
Haplaria
ellisii 1023
Hapsidospora 380
Harknessia 457
Harpella
leptosa 847
melusinae 847, 856
meridianalis 844, **845**, 846f, 847, 855, 856
spp. 856
Hebeloma 897
crustuliniforme 903
edurum 903
longicaudum 897, 898, 900, 901f, 902, 903
Heleococcum 7, 379, 380
Heliscus
lugdunensis 82, 85
Helminthosporium 1020
binum 1023
clavariarum 1024
Helvella
acetabulum 45
astieri 45
crispa 44, 45
elastica 45
Hemicorynespora 1022
mitrata 1024
Hemitrichia 320
Herpomyces 565
spp. 571
Hesperomyces 677, 678, 685, 687, 689, 691, 692
virescens 677, 678, 679f, 680f, 683f, 684f, 686f, 688f, 689, 690f, 691, 692
Hirsutella 14, 718
rhossiliensis 554, 558, 560–562
spp. 556
Hirudinaria 1021
Holwaya 135
Hormonema 132, 136
Hydnangium 662, 663
carneum 548
Hydnobolites 39
Hydnocystis 38
Hydnotrya 38
Hydropisphaera 10, 12
Hygrocybe 514–516
andersonii 514, 515, 515f, 516
puniceus 515
Hygrophorus
marginatus 296, 298f
miniatus 296, 298f
Hymenogaster
albus 548
vulgaris 906
Hymenostilbe 718
Hyphospora 133
agavaciensis 132, **133**, 135f, 136
Hypochnus 459
Hypocrea 1, 3, 6, 7, 10, 11, 302, 303, 370, 384, 385, 387, 388f, 389–392
subg. Podocrea 302
sect. Hypocrea 311
subsect. Hypocrea 311
?aurantia 386, 390, 392
brevipes 302, 303, 304f, 305, 306f, 307, 311, 314
capitata 302, 303, 311, 312f, 313f, 314
cf. jecorina 386, 391
gelatinosa 3
jecorina 3, 384, 386, 390–392
pallida 12, 372, 374f–376f
poronioidea 3, 4f, 5, 302, 303, 307, 308f, 309f, 310, 311, 314
schweinitzii 7, 214, 215f, 384, 386, 390–392, 598, 599f
Hypocrella 11
duplex 4f, 5, 8f, 9
Hypomyces 1, 6, 10, 11, 12, 370
lactifluorum 4f, 5, 12
polyporinus 372, 374f–376f
Inonotus
circinatus 395–399, 397f, 400f, 401
tomentosus 395–399, 397f, 400f, 401
Janetia 1014, 1015, 1016, 1017f, 1018f, 1020, 1021
bacilliformis 1014, 1016, 1018f, 1020
bonarii 1016, 1017f, 1020, 1021
canescens 1014, 1016, 1018f, 1020
capnophila 1014, 1016, 1017f, 1020, 1021
cubensis 1014–1016, 1018f
curviapicis 1014, **1015**, 1016, 1017f, 1019f, 1020
euphorbiae 1014, 1016, 1018f, 1020
faureae 1015, 1016, 1017f, 1020, 1021
garryae 1016, 1018f, 1020, 1021
interna 1014, 1016, 1017f, 1020
longispora 1015, 1016, 1017f, 1020
mangiferae 1014, 1016, 1018f, 1020, 1021
matsushimae 1016, 1018f, 1020, 1021
refugia 1014, 1016, 1017f, 1020
synnematosa 1014, 1016, 1017f, 1020
tetracentri 1015
Kathistes
analemmoides 214, 215f
calyculata 214, 215f
sp. 216
Khuskia
oryzae 735, 736f
Kluyveromyces
lactis 351
Kriegeria
eriophori 339–341, 342f–344f, 344–347
Laboulbenia 566, 571
ecitonis 566
flagellata 565
pedicellata 565
slackensis 565–568, 570, 571

vulgaris 565
Laccaria 970, 973, 974, 1032
bicolor 970, 971, 974, 975, 993
laccata 993, 1032
proxima 970–975, 972f–974f
species 970, 974
Lecythophora 787, 790
Leptodontium
elatius 114
Leptographium 739
pyrinum 739–742
Leptosphaeria
maculans 214, 215f
Leptothyrium
dryinum 613
Leucogaster 663
Leuconectria
clusiae 14
Leucophlebs 662, 663
magnata 663
Leucopholiota 137, **138**, 139
decorosa 138, 138f
Leucosphaerina 380
Leucosporidium
scottii 345
Leucovibrissea 148, 149
Libertella
sp. 924, 928
Licea 316, 320
tubulina 316
Lichenoconium 929
cf. xanthoriae 925, 928, 930
Lindbladia 316–318, 320, 322, 325–327
cribrarioides 327
effusa 320
var. cribrarioides 327
tubulina 316, 317f, 318, 319f, 320–322, 321f, 323f, 324–327, 324f,
Linderina 223
pennispora 223, 227f
Lulworthia
grandispora 352
sp. 046 350–353, 353f–355f, 356
Lunulospora
curvula 87
Lycoperdon 655, 656
astrocaryi 658
confluens 658
cubense 658
epixylon 658
fuligineum 657, 659, 659f, 660
pyriforme 977–983, 982f
sp. 660
velutinum 659f, 660
Lyophyllum 500
Macrophoma 239
Magnaporthe 23
grisea 66, 67, 365, 365f
Marasmius 391
oreades 832
Mariannaea 14
Melanogaster
ambiguus 906
Melanoleuca
dryophila 505
Melanospora
zamiae 169
Merulius 762, 772
Mesophellia 863
Mesophelliopsis 863
pernambucensis 882
Metarhizium 718
anisopliae 4f, 5, 687
Microascus 373, 596
trigonosporus 214, 215f, 372, 374f–376f, 598, 599f
Microbotryum
violaceum 345
Microdochium 16
Misgomyces
dyschirii 565
Monacrosporium
cionopagum 554, 558, 561, 562
doedycoides 554, 558, 561, 562
eudermatum 554, 558–562
parvicollis 554, 558, 561
Monascella
sp. 924, 927f, 928
Monascus 379, 380
Monilinia
fructicola 208, 209f, 210
Moniliopsis
solani 470
Monocillium 790
sp. 925, 928, 930
Monographella 16
Morchella
elata
var. purpurascens 148, 149
Morganella 655
sect. Subincarnata 657
compacta 657
costaricensis 655–657, 656f, 659f
fuliginea 655–657, 657f, 659f, 660
mexicana 656–660, 659f
puiggarii 655, 657f, 658, 660
spp. 656
subincarnata 657
velutina 655, 656, 658f, 659, 659f, 660
Mortierella 929
alpina 931
gamsii 924, 927f, 928, 929
spp. 929
Mucor 602
sect. Hiemalis 603
hiemalis 603, 931
mucedo 3, 67, 603
piriformis 602–606, 604f
racemosus 602
sp. 929
species 602, 606
Mycaureola 7
Myceliophthora
sp. 925, 928, 930
Mycena
meliigena 831–834, 836, 837
Mycoarachis 7, 370, 380
Mycolachnea 39
Mycomalus 11
Mycosphaerella 136, 441, 442, 444, 446, 448, 456, 457
africana 442, 443f, 444, 445f, 446f, 449, **450**
aggregata 442, 449
cryptica 442, 444, 446, 449, 450
crystallina 442, 443f, 446f, 447f, 449, **451**
delegatensis 442, 444, 450
ellipsoidea 442, 443f, 449, **452**, 455
eucalypti 449
fijiensis 391
gracilis 442, 444, 449
grandis 444, 446f, 449, 450
heimii 449, 452
jonkershoekensis 444
juvensis 442, 443f, 444, 444f, 445f, 449, 451, **453**, 454
lateralis 442, 443f, 444, 447f, 448f, 449, **454**, 455
marksii 442, 443f, 447f, 449, 455, 456
martinae 442, 449
molleriana 441, 442, 449, 451, 454, 455
nubilosa 441, 454
parkii 442, 444, 449
parva 449
sp. 441, 456
spp. 442, 442f, 444, 445f, 446, 447f, 448, 457
suberosa 442, 449
swartii 442, 444, 449, 450
walkeri 444, 449, 450
Myrioconium
sp. 924, 928
Myriogenospora 6, 11, 369, 374, 380
atramentosa 372, 374f
Myrothecium 5, 14
verrucaria 413
Nakataea 1024
Naucoria
nana 283
triscopoda 278, 293
Nectria 1, 5, 6, 7, 361, 370, 371, 770, 807
subg. Dialonectria 6, 11
albosuccinea 15
aurantiicola 11
aureofulva 15
balsamea 8f, 9, 10
byssicola 11
calami 12, 13f
cinnabarina 1, 11, 12, 372, 374f
coccinea 6, 12
cucurbitula 4f, 5, 8f, 9, 10
discphora 4f, 5
flammea 11
flavolanata 11
grammicospora 15
haematococca 1, 4f, 5, 10, 15, 346, 598, 599f
kurdica 15
mammoidea 5, 6, 12
miltina 8f, 9, 10, 12
ochroleuca 8f, 11, 14, 15
parmeliae 11
peziza 12
pityrodes 4f, 5, 11, 15
pseudotrichia 10, 12
radicicola 12
ralfsii 14, 15
rigidiuscula 1, 13f, 15
sesquicillii 15
spirostriata 15
veuillotiana 12
vilior 371, 372, 374, 374f–376f, 377
Nectriopsis 6, 11, 370
leucorrhodina 4f, 5, 9
violacea 11
Nematoctonus 556
concurrens 554, 558, 559–561
Neocallimastix
frontalis 414
Neocosmospora
endophytica 12
vasinfecta 372, 374f
Neohaplomyces 689
Neotyphodium 369, **377**, 378, 380, 381, 790
chilense 378
chisosum 377, 378
coenophialum 377, 378, 381
huerfanum 378
lolii 377, 378
starrii 377, 378
typhinum 377
uncinatum 378
Neurospora 31, 169, 351, 379, 749
crassa 67, 214, 215f, 351, 359, 598, 599f, 819
intermedia 351
sitophila 253
Nia
vibrissa 333
Nigrosabulum 370, 380
Nigrospora
oryzae 735, 736f
sphaerica 328, 330
Nodulisporium
melonis 807
Nomurea 718
Ochrolechia
antarctica 923
frigida 923
Octaviania 662
Octavianina 663
macrospora 663
Octospora 45
wrightii 147
Ophionectria 9
trichospora 10, 12
Ophiostoma 379, 391, 596, 598, 600, 740

adjuncti 739–742
clavigerum 742
huntii 739
novo-ulmi 951–953, 954f, 955, 956, 957f, 958–962
piliferum 214, 215f, 598, 599f
polonicum 104
ulmi 598, 599f, 951, 960–962
Ovadendron
sulfureo-ochraceum 925, 928
Pachybasium
niveum 716
Pachyella
clypeata 987–990, 992f
Pachylepyrium 293
Paecilomyces 370, 718
variotii 924, 928
Palaeofibulus 707
Panellus 764, 765
pusillus 763, 765, 765f, 766f
stypticus 763–765, 765f, 766f
Parahelminthosporium
malabaricum 1024
Paraisaria 718
Paramoebidium 844, 851
curvum 851
grande 844, 845, **851**, 852f, 855
Peltaster
berthollatiae 119
byrsonimae 119
fimbriatus 119
var. integer 119
var. minor 119
fruticola 114–120, 116f–188f, **120**
fusisporus 119, 120
gauitheriae 119
guraniae 119
hedyotidis 119
ingae 119
intermedius 119
splendens 119
Peltasterinostroma
rubi 117
Penicillifer 12
Penicillium 1032
brevicompactum 925, 928
chrysogenum 598, 599f
glabrum 735, 736f, 925, 928
janthinellum 924, 928
pinophilum 414
spp. 392, 929
Peniophora
incarnata 832, 834
Perichaena 316
Peridermium
yamabense 675
Peristomialis 10, 12
Peronosclerospora 602
Peronospora
digitalidis 482
hyoscyami
f.sp. tabacina 482
rubi 482
sordida 482
spp. 482
viciae 473, 474f, 475, 477f, 478, 478f, 479, 480f, 481, 481f, 482
violae 482
Pestalotiopsis 737
versicolor 735, 736f
Petriella
setifera 598, 599f, 600
Peziza 986, 987, 989, 990, 992–994
alaskana 988–990, 991f–993f, 993, 994
areneosa 148
atrovinosa 986, 988, 990, 991f–993f, 993
badia 988–990, 991f–993f, 993, 994
griseo-rosea 988, 990, 991f–993f, 993, 994
ostracoderma 986, 988, 990, 991, 991f–993f
praetervisa 988, 990, 992f, 994
sp. near brunneoatra 988–991, 992f, 993f, 994
vacinii 986, 988, 989, 991, 992f, 993, 993f, 994
violacea 988, 990, 992f
Phaeoacremonium 786, **789**, 790, 792, 793
aleophilum 788f, **791**,
angustius 788f, **791**, 792, 792f
chlamydosporum 788f, 790, **792**, 793f
inflatipes 788f, 791, **793**, 793f, 794
parasiticum 788f, 789–791, 794, 794f, 795
rubrigenum 791, **795**, 795f
spp. 788f
Phaeonectria 9
Phaeoseptoria
sp. 924, 926, 927, 927f, 928
Phaeosphaeria
eustoma 924, 928
microscopica 924, 927, 927f, 928, 930
Phanerochaete
sordida 832, 834
Phellinus 840
cancriformans 230, 839
chrysoloma 230–233, 234f, 235, 237, 237f, 840
laricis 840
piceinus 230–233, 234f, 235, 237, 237f
pini 230–233, 234f, 235–237, 237f, 395–399, 397f, 400f, 401, 839–841
pini-complex 842
vorax 230–233, 234f, 235, 237, 237f, 395, 840
weirii 98–102, 101f
Phialastrum
barbatum 883
Phialemonium 787, 790
Phialophora 366, 786, 787, 789, 790
botulispora 787
bubakii 787
cf. alba 924, 928
hyalina 925, 928
lagerbergii 787
malorum 924, 927, 927f, 928
melinii 925, 928
parasitica 786, 787, 789, 794
parasitica-group 787
repens 787
verrucosa 787
Phillipsia 45
Phlebia 762–765, 768, 772, 773
acerina 772
albida 762–765, 765f, 768, 768f, 770–773
albomellea 762, 765f, 766–768, 768f, 770, 772, 773
canadensis 770
centrifuga 763–765, 764f, 765f, 770, 772
hydnoidea 772
pallida 768, 769
radiata 763–765, 764f, 765f, 772
rufa 772
subcostatum 769
Pholiota 138, 278, 293
subg. Flammuloides 293
sect. Spumosae 293
stirps Scamba 293
marginata 293
peleae 291, 291f, 292, 293
pulchella 293
scamba 293
sp. 293
squarrosa 137
squarrosoides 137
totteni 293
Phoma 885, 890, 929
americana 890
chrysanthemicola 890
eupyrena 890
heteroderae 885, 887f–889f, 890
leveillei 890
macrostoma 890
medicaginis 890
multirostrata 890
pinodella 890
pomorum 890
pteridis 635
radacina 890
sp. 927f
sp. I 925, 927, 928
sp. II 924, 926, 928
tropica 890
Phoma-like 790
Phomatospora
sp. 735, 736f
Phomopsis 437, 439, 588–594, 589f
longicolla 425, 426, 433, 435–438
manilkare 735, 736f
oblonga 588, 594
salicina 591
sp. 924, 927, 927f, 928
species 633
spp. 588, 589, 593
Phragmidium
violaceum 892
Phycomyces 645, 819
Phyllosticta
ampelicida 626–628, 629f–632f, 630–633
sapotae 735, 736f
species 633
Physarum 316, 321
Physcia
caesia 923
Phytophthora 523, 524, 530, 531
capsici 626
cinnamomi 523, 524, 526f, 527f, 530f, 528–531
citrophthora 602
infestans 602, 608–612, 610f
megasperma 359
palmivora 524
species 524, 530, 531
Pichia
acaciae 351
Picoa 38
Pilobolus 328, 330, 642, 645, 646
crystallinus 642, 643, 645
kleinii 642, 645
Piptocephalis
virginiana 275
Pisolithus
tinctorius 906
Pithomyces
leprosus 1014
Placopsis
contortuplicata 923
Plasmodiophora
brassicae 358–360, 359f
Plectosphaerella
cucumerinum 16
Plectosporium 16
cucumerina 807
tabacinum 807
Pleonectria 9
Pleospora 169
rudis 214, 215f
vagans 925, 928, 930
Pleurage
minuta 169
Pleurotus 198, 200f, 201f, 203, 205, 206, 1033
"abieticola" 198
"agaves" 199
calyptratus 207
citrinopileatus 206
cornucopiae 199, 206
cystidiosus 207
djamor 199, 206
dryinus 199, 206, 207
eryngii 198, 199, 207
ostreatus 198, 199, 201, 205, 206, 562, 996, 1001, 1032

populinus 198, 199
pulmonarius 198–202, 205, 207
purpureo-olivaceus 199
rattenburyi 199
salmoneostramineus 206
Plicaria 986, 987, 989–991, 993, 994
acanthodictya 986–989, 990f, 992f, 993, 993f
alveolata 987
anthracina 987
carbonaria 986–989, 990f, 992f, 993, 993f, 994
columnifera 987
endocarpoides 986, 988, 989, 990f, 992f, 993, 993f, 994
leiocarpa 986
recurva 987
trachycarpa 986–989, 990f, 992f, 993, 993f, 994
var. ferruginea 986, 987
var. muricata 987, 990
Plowrightia 136
Podocrea 302
brevipes 303
poronoidea 307
Podospora 163, 165, 167, 169, 170, 749
anserina 169, 351
arizonensis 169
tetraspora 163, 165, 167, 167f, 168f, 169
vesticola 163, 164, 164f, 165, 166f, 167, 169
Podostroma 302, 303, 311
alutaceum 302
brevipes 303
eperuae 302
orbiculare 302, 307, 309, 311
Polycephalomyces 14
Polymyxa
betae 358
graminis 358
Polyphagus
euglenae 727, 730
Polyporus
piceinus 840
pini 840
Polysphondylium
pallidum 819, 820, 823, 824f, 827
Polytretophora 1022
calcarata 1024
Porodaedalea 840
Pronectria 370
Protomyces 764
Pseudobalsamia 38
Pseudocercospora 441, 444, 449, 452, 456
crystallina 446f, 447f, 449, **451**, 456
epispermogoniana 442, 447f, 448, **456**, 456f
eucalyptorum 447f, 456, 456f
gracilis 444, 449
heimii 444, 449, 452
sp. 441, 456
spp. 447f
Pseudogibellula 718
Pseudogliomastix 790
Pseudomerulius
aureus 832, 834
Psilonia
atra 1023
Puccinia
angustata 171
angustatoides 171, 172f, 173
biocellata 171
graminis
subsp. graminicola 813
f. sp. tritici 55, 675
malvacearum 55, 892
ocellifera 171
plucheae 171
psidii 457
rugispora 671–673, 673f, 674f, 675
rutainsulara 671, 673, 675
sorghi 54
Pulparia
planchonis 148, 149
Pulvinula 45
Pycnostysanus
sp. 924, 927f, 928
Pycnothelia 78
papillaria 76f
Pyrenogaster 863–866
atrogleba 865, 866, 867f, 868f, 870
pityophilus 863–866, 868f, 870
Pyriculariopsis 1024
Pythium 3, 359, 523, 524, 530, 531, 934
aphanidermatum 523, 524, 526f, 527f, 528, 529f, 530f, 530, 531
butleri 523, 524, 526f, 527f, 528, 529f, 530, 530f, 531
cfr. graminicolum
var. stagni 936
debaryanum 524, 528
grandisporangium 936
irregulare 524, 528
nunn 275
species 528, 530
Pyxidiophora
sp. 216
sp. 1 214, 215f
sp. 2 214, 215f
Radiigera 656, 863–865, 870, 871, 873, 882
subg. Endoplectylum 864
sect. Endoplectylum 655
subg. Radiigera 864, 866
sect. Paulensis 864
sect. Radiigera 864
subg. **Taylorae 864**, 866
asperata 863, 882
atrogleba 863, 866, 870
bushnellii 863, 866, 871f, **873**, 876f, 877, 878f, 881
cinnamomea 863, 882
flexuosa 863, 864, 866, 872f, **877**, 878f, 880, 881
fuscogleba 863, 866, 873, 874f, 876f, 877, 879f, 880, 881
paulensis 863, 882
puiggari 863, 864, 882
puiggarii 658
taylorii 863, 864, 866, 875f, 876f, 879f, , 881, 882
termitariicola 863, 883
Radulum
molare 769
pallidum 768, 770
pendulum 768–771
Ramalina
terebrata 923
Reticularia
multicapsula 316
Rhabdocline
parkeri 633
Rhizina
undulata 44
Rhizocarpon
geographicum 923
Rhizoctonia 459, 464, 470, 471
bataticola 470
carotae 459–467, 465f–468f, 469–471
centrifuga 459, 466, 469, 470
crocorum 470
fumigata 470
oryzae-sativae 470
praticola 996
solani 3, 366, 410, 470, 602, 813
tuliparum 470
zeae 813
Rhizopogon 776, 778, 779, 784
colossus 906
luteolus 906
roseolus 906
rubescens 906
subcaerulescens 777, 778, 780f, 782f
vinicolor 907
Rhizopus
oryzae 252
Rhodosporidium
toruloides 345
Rhodotorula
rubra 810, 816
Rhyzophydium
couchii 727
spp. 727
Ripartitella 666
alba 666, 667f, 668f, **669**, 669f, 670
brasiliensis 669
ponderosa 669
Roumegueriella 7, 379
rufula 8f
Rozites 664
Russula 897
laricina 904
ochroleuca 904
sanguinea 897, 898, 901–904, 902f
xerampelina 904
Saccharomyces 212, 214
cerevisiae 359, 359f, 598, 599f, 745, 763, 819, 826–828
cervisiae 23f, 67, 191, 194, 214, 215f, 231, 260, 345, 372, 373, 374f–376f
uvarum 344
Saccharomycodes
ludwigii 345
Saccobolus 328
saccoboloides 249–254
Saccothecium 136
Sagenomella 790
Saitoella 216
complicata 214, 215f
Saprolegnia 21–27, 28f, 29–33, 524, 530, 531
ferax 20
Sarcocladium 14
Sarcoscypha 45
Schizoparme
botryditis 8f, 9
Schizophyllum 25, 28, 762, 763, 765, 767f, 772, 773
commune 253, 359, 762–765, 764f–766f, 771, 772
fasciatum 763, 766f, 772
Schizosaccharomyces
pombe 346, 819, 827, 828
Schizothecium
minutum 169
Schizoxylon 135
Sclerocystis 707, 712
Scleroderma 663, 897, 907
citrina 907
polyrhizum 897, 898, 902–904, 903f, 904f, 907
Sclerotinia 271
gladioli 216
minor 271–275, 461, 467f, 702
sclerotiorum 3, 208, 413, 461, 463, 467f, 702, 764
trifoliorum 216
Sclerotium 23, 470, 694
bataticola 470
cepivorum 271, 702
coffeicola 694–696, 697f, 698, 699f, 700–705, 703f
delphinii 461, 694–696, 697f, 698, 699f, 700–705, 701f, 703f
fumigata 470
irregulare 470
lichenicola 459, 469, 470
oryzae-sativae 470
rolfsii 66, 67, 694–696, 697f, 698, 699f, 700–705, 701f, 703f, 704f
species 694, 695, 698, 700, 702, 703, 705
spp. 691
tuliparum 470
Scoleconectria 9, 10
Scolecotrichum
binum 1023

obovatum 1023
Scopulariopsis
brevicaulis 929
Scutellospora
heterogama 940, 941f, 943, 943f, 944f
Scytalidium
sp. 924, 928
Selinia 7
pulchra 8f
Septobasidium
carestianum 339–341, 344, 345f, 345–347
Septoria
aquilina 640
Sesquicillium 14
Sigmoidea
marina 352
Simuliomyces 219, 226
microsporus 845, 851, 852f, 854f, 855
spica 220, 224, 226f
Siphonaria
sparrowii 727, 730
Smittium 219, 225, 226, 844, 845, 848, 849f, 855, 856, 856f
angustum 220, 224, 226f
coloradense 220, 225, 226f
culicis 220, 224, 225, 226f, 228f, 844, 848, 849, 850f, 856, 856f
culicis-like 225, 227f, 228f
culisetae 219, 220, 224, 225, 226–227f, 228, 228f
cylindrosporum 844, **847**, 847f, 848, 855, 856f
elongatum 221, 225, 226f, 227f
imitatum 844, **848**, 849f, 855, 856, 856f
microsporum 221, 224, 227f
morbosum 221, 224, 226f
mucronatum 221, 224, 227f
orthocladii 221, 224, 225, 226f
phytotelmatum 221, 224, 227f
simulatum 844, **848**, 850f, 855, 856, 856f
simulii 221, 225, 226f, 228f, 844, 848, 849f, 851, 854f, 855, 856, 856f
sp. 226f, 227f
spp. 221, 224, 225, 228, 845, 856
stenosporum 222, 226f
tipulidarum 222, 225, 226f
Solheimia 14, 15
Sonderhenia
eucalypticola 444, 450
eucalyptorum 444, 450
Sordaria 169
fimicola 169
humana 169
Spadicoides 1022, 1023, 1024, 1025, 1026
afzeliae 1023, 1025, 1026, 1029, 1030f
aggregata 1023, 1025, 1026, 1029, 1030f
americana 1023, 1026, 1029, 1030f
aspera 1024
atra 1023, 1026, 1029, 1030f
bina 1022, 1023, 1026, 1029, 1030f
calcarata 1022, 1024
canadensis 1023, 1026, 1029, 1030f
carpatica 1023, 1025, 1026, 1029, 1030f
catenulata 1024
clavariarum 1024
constricta 1024
cordanoides 1022, **1023**, 1025f, 1026, 1027f, 1028f, 1029, 1030f
cuneata 1022, 1023, 1025, 1026, 1029, 1030f
curvularioides 1023–1026, 1029, 1030f
goanensis 1022, 1024
grovei 1024
klotzschii 1023, 1026, 1029, 1030f
macrocontinua 1022, 1022, 1026, 1029, 1030f
macroobovata 1022, 1022, 1026, 1029, 1030f
mitrata 1024
obclavata 1022, 1023, 1026, 1029, 1030f
obovata 1023, 1026, 1029, 1030f
penatium 1023, 1026, 1029, 1030f
sphaerospermum 1023, 1025, 1026, 1029, 1030f
stoveri 1024
subramanianii 1022, 1023, 1025, 1026, 1029, 1030f
tropicalis 1022
verrucosa 1023, 1025, 1026, 1029, 1030f
xylogena 1023, 1025, 1026, 1029, 1030f
Sphacelia 380, 381, 544
typhina 370
Sphaerobolus 328, 330
Sphaeronemella
fimicola 598, 599f
Sphaerophorus
globosus 923
Sphaerosporella
brunnea 148, 149
Spicellum
sp. 925, 928
Spondylocladium
xylogenum 1023
Spongipellis
unicolor 214, 215, 215f
Spongospora
subterranea 358, 359, 359f
f. sp. subterranea 358
Sporidesmiella
angustobasilaris 129
aspera 129
brachysporioides 129
caribensis 129
claviformis 129
cornuta 129
coronata 129
cuneiformis 129
garciniae 129
hyalosperma
var. hyalosperma 129
var. novae-zelandiae 129
incrassata 129
longissima 129
pachyanthicola 129
parva 129
var. palauensis 129
pseudoseptata 129
setosa 129, 130f, 131
vignalensis 129, 131
Sporidesmina
malabrica 1021
Sporidesmium 129, 1020, 1021
bonarii 1014
ehrenbergii 1020
filiferum 1020
garryae 1014
sclerotivorum 271–276
subulatum 1020
Sporidiobolus
johnsonii 345
Sporormia 135
Sporothrix 718
Sporotrichum
thermophile 252
Stachybotrys
elegans 410, 411, 412f, 413, 414
Stachylina 850, 851, 855
ceratopogonidarum 844, **849**, 850, 850f, 855
penetralis 851, 854f, 855, 857
Stagonospora
delegatensis 444
Stamnaria
persoonii 148, 149
Stemmatomyces 691
Stephensia 38
Stereum
album 768, 770
complicatum 832, 834
gausapatum 767
pubescens 771
striatum 832, 834, 836
subcostatum 768, 770, 771
Sterile mycelium 2 736f
Sterile mycelium 4 736f
Sterile mycelium 51 736f
Sterile mycelium X 736f
Sterile mycelium (17 different types) 925
Sterile mycelium (31 different types) 925
Sterile mycelium (agar colored) 924
Sterile mycelium (grey, restricted growth IV) 924
Sterile mycelium (grey, restricted growth V) 924
Sterile mycelium (grey, wooly II) 924
Sterile mycelium (leathery I) 924
Sterile mycelium (white III) 924
Sterile mycelium (white-pinkish II) 924
Stictis 12
Stigmatomyces 691, 692
baeri 687
Stomiopeltis 1014
Stromatinia
gladioli 216
rapulum 148, 149
Stylopage
sp. 554, 558, 561
Subbaromyces
splendens 214, 215f
Suillus 776–779, 781, 784
acidus
var. intermedius 778
var. subalutaceus 779
aeruginascens 778
var. bresadolae 778
americanus 778, 780f, 782f
asiaticus 778, 780f, 781, 782f, 783f, 784
bovinus 778, 780f, 782f, 783f
bresadolae 778, 782f, 783, 783f
brevipes 778, 780f, 782f, 783f
c. f. granulatus 778, 780f, 781, 782f
c. f. placidus 778, 783, 783f
caerulescens 778, 779, 780f, 782f
cavipes 778, 780f, 782f
collinitus 778, 780, 781, 782f, 783f
cothurnatus 778, 780f
decipiens 778, 780f, 781, 782f, 783f
glandulosipes 778, 780f, 782f, 783f
granulatus 776, 778, 780, 783, 781f–783f, 907
grevillei 777, 778, 780f, 781, 782f, 783f, 906
grisellus 778, 780f, 781, 782f, 783f, 784
intermedius 778, 780f, 782f
lakei 778, 780f, 781, 782f
laricinus 778, 779, 780f, 782f, 783f
luteus 778, 780f, 782f, 783f, 784
neoalbidipes 778, 780f, 782f, 783f
ochraceoroseus 778, 780f, 781, 782f, 783f
paluster 778, 780, 781, 782f, 783f
pictus 779
placidus 778, 780f, 782f, 783, 783f

pseudobrevipes 778, 780f, 782f, 783f
punctipes 778, 780f, 782f
pungens 778, 780f, 782f, 783f
serotinus 778, 779, 780f, 782f, 783f, 784
sibiricus 778, 780f, 782f
sinuspaulianus 778, 780f, 782f
spectabilis 779, 780f, 781, 782f
spraguei 779, 780f, 781, 782f, 783f
subalutaceus 779, 780f, 782f
subaureus 779, 780f, 782f
subluteus 779, 780f, 782f
tomentosus 779, 780f, 782f
tridentinus 779, 780f, 782f, 783f
umbonatus 779, 780f, 782f
variegatus 779, 780f, 782f
viscidus 778
weaverae 779, 780f, 782f, 783f, 784
Sydowia 136
Symbiotaphrina 212–214, 215f, 216
buchneri 212–214, 215f, 216
kochii 212–214, 215f, 216
Synandromyces 691
Synchytrium
brownii 730
endobioticum 647–649, 648f, 730
Talaromyces 379
flavus 214, 215f, 598, 599f
Taphrina 212–214, 216
californica 214, 215f, 216
deformans 214, 215f, 372, 373, 374f–376f, 598, 599f
Thelebolus
microsporus 924, 927f, 928, 929, 931
sp. 925, 928
Thelephora
terrestris 548–551, 550f
Thermoascus 379
Thielavia 370
terrestris 370, 371, 380
Thyronectria 9, 10
Tilachlidium 718
Tolypocladium
inflatum 715–718, 717f
niveum 3, 715, 716
nubicola 925, 928
Tomentella
spp. 551
Torrubiella 11
Torulopsis 212
Trametes
pini 842
versicolor 1001
Tremella
globospora 347
Tricellula
cf. aquatica 925, 928
Trichia 320
Trichocladium
opacum 925, 928
Trichoderma 3, 191, 192, 195, 196, 302, 303, 305f, 306f, 307, 309, 310, 384, 385, 387, 388f, 389–392
sect. Longibrachiatum 384, 385, 391, 392
sect. Pachybasium 303, 384
sect. Trichoderma 303
aureoviride 384, 385
citrinoviride 384, 386, 387, 390–392
hamatum-aggr. 303
harzianum 2, 11, 385, 390, 391
inhamatum 385
koningii 252, 413, 414, 735, 736f
longibrachiatum 252, 253, 384, 385, 387, 390–392
parceramosum 384, 390, 391–392
pseudokoningii 384–387, 390–392
reesei 3, 191, 192, 194–196, 252, 384, 385, 387, 390, 392, 413, 414
spp. 410
virens 3, 11
viride 191–196, 252, 385
Tricholoma 497, 504, 508, 897
subg. Contextocutis 508
sect. Contextocutis 508
sect. Genuina 505
subg. Tricholoma 497, 505
sect. Tricholoma 497
stirps Luteomaculosum 500, 503
albobruneum 897, 898, 902–903
avellaneifolium 500
decorosum 137, 138
dryophillum 497
flavovirens 137
griseoviolaceum 497, 498f, 499, 500
josserandii 500
marquettense 500
moseri 497, 502, 504, 505
muricatum 497, 506f, **507**
mutabile 497, 498f, **499**, 500, 503
myomyces
var. **cystidiotum** 497, 502f, **503**, 504, 505
var. myomyces 503, 504
nictitans 506
olidum 508
pessundatum 507, 508
portentosum 499, 500
var. avellaneifolium 500
scalpturatum 505
species 497, 498f, 500, 502f, 505, 506f
stans 507, 508
terreum 504
ustale 506
vernaticum 497, **508**
Tricholomopsis 137
decorosa 138
Tricholosporum 666
pseudosordidum 668
tropicalis 668
violaceum 666, 667f, 668, 668f, 669
Trichophaea 45
Trichosporium
populneum 1023
Trichozygospora 219, 226
Trichurus
spiralis 925, 928
Truncocolumella 778, 779, 784
citrina 777, 779, 780f, 782f
Tubakia
dryina 613–615, 614f, 616f, 617
Tubaria
paludosa 288
Tuber 45, 897, 907
borchii 897, 898, 902, 903, 905f, 907
Tubercularia 10
vulgaris 1
Tubeufia
cerea 8f, 9
Tubifera 326, 327
Tubulina 316
Tumularia
aquatica 82
Turgidiusculum
complicatum 923
Tylodon
friesii 768
Tympanis 135
Typhodium 370, 377, 381
Urnula 45
Uromyces 22, 23
appendiculatus 67
phaseoli
var. virgna 67
Usnea
antarctica 923
aurantiaco-atra 923
Ustilago
maydis 649, 762, 764
Uwebraunia 441, **446**, 449, 454
ellipsoidea 447f, 448f, 449, 452, **452**, 455
juvenis 446, 449, **453**, 454
lateralis 447f, 448f, 449, **454**, 455
Varicospora
ramulosa 333
Varicosporina
ramulosa 352
Vascellum 655, 656
Venturia
inaequalis 626, 633, 831
Verruculina
enalia 352
Verticicladiella 739
Verticillium 14, 303, 718
sect. Prostrata 370, 807
dahliae 3
Vibrissia 12
Virgaria
indivisa 1023
uniseptata 1023
Virgatospora 14
Volucrispora
graminea 924, 927, 927f, 928, 930
Wynnea 45
Xanthoria
elegans 923
Xerocomus 897
badius 897, 898, 902–904, 906f, 907
Xylaria 733
arbuscula 737
cf. adscendens 735, 736f, 737
cf. multiplex 735, 736f, 737
curta 598, 599f, 600
hypoxylon 372, 374f–376f, 598, 599f, 600
melisii/arbuscula 735, 736f
melisii 735, 737
species 735, 737
spp. 733, 737
Zalerion
maritimum 352
Zygochytrium 730
Zygophiala
jamaicensis 114
Zygopolaris
ephemeridarum 854f, 855, 857
Zygorhizidium 720, 721, 727, 730
affluens 730
planktonicum 720, 727, 729f, 729–731
f. sp. synedrae 721, 722f
Zygosporium
echinosporum 735, 736f
Zymoxenogloea
eriophori 339, 340

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Abax
  Laboulbenia slakensis 567
Abies
  Phellinus cancriformis 839
    pini 839
  Phlebia albomellea 767
  Pyrenogaster atrogleba 869
  Radiigera fuscogleba 880
    taylorii 882
  Tricholoma moseri 504
Acacia
  Descolea alienata 280
Acer
  Armillaria nabsnona 489
  Ceratocystis virescens 104
  Dendrothele acerina 832
  Mycena meliigena 832
  Phlebia radiata 763
  Radiigera fuscogleba 880
  Tubakia dryina 613
Achnatherum
  Acremonium isolates 545
Adalia
  Hesperomyces virescens 677
Agaricus
  Trichoderma harzianum 2
Aglaophyton
  Glomites 713
Agrostis
  Acremonium typhinum 177
  Epichloë amarillans 174
    amarillians 372
    amaryllans 816
    baconii 816
Allocapnia
  Genistelloides hibernus 225
Alnus
  Armillaria nabsnona 489
  Athelia arachnoidea 460
  Phlebia albida 769
    albomellea 766
  Radiigera fuscogleba 880
    taylorii 882
Amara
  Laboulbenia slackensis 567
Ammophila
  Gigaspora gigantea 947
Andropogon
  Balansia henningsiana 372
  Myriogenospora atramentosa 372
Antarcticycas
  Gigasporites myriamyces 709
  Glomites cycestris 709
  Glomus 707
Aphrophila
  Smittium simulatum 848
Aquilaria
  Phialophora parasitica 786
Araucaria
  Morganella fuliginea 658
Arbutus
  Pyrenogaster pityophilus 870
  Radiigera fuscogleba 880
Arctostaphylos
  Radiigera fuscogleba 880
  Tricholoma manzanitae 506
Aristida
  Balansia aristidae 90,372
Arundinaria
  Echinodothis tuberiformis 372
Asaphidion
  Laboulbenia slackensis 567
Asarum
  Radiigera bushnellii 877
Avicennia
  Halophytophthora masteri 936
    vesicula 936
Axonopus
  Balansia nigricans 90
Baetis
  Graminella microspora 851
  Zygopolaris ephemeridarum 855
Bembidion
  Laboulbenia slackensis 567
Betula
  Chondrostereum purpureum 832
  Phlebia albida 769
  Sporidesmiella setosa 129
Blapstynus
  Laboulbenia slackensis 567
Bledius
  Laboulbenia slackensis 567
Botrytis
  Sporidesmium sclerotivorum 271
Caedica
  Metarhizium anisopliae 5
Calathus
  Laboulbenia slackensis 567
Callianassa
  Enteromyces callianassae 855
Carabus
  Laboulbenia slackensis 567
Carpinus
  Stereum striatum 832
Carya
  Schizophyllum commune 763
Castanea
  Cryphonectria parasitica 179
  Phlebia albida 769
Casuarina
  Amanita marmorata subsp. myrtacearum 140
Cedrus
  Phellinus vorax 230
Cenchrus
  Balansia obtecta 372
Ceratiola
  Hygrocybe andersonii 514
Cercocarpus
  Cenococcum geophilum 664
  Gigasperma americanum 662
Chilocorus
  Hesperomyces virescens 677
Chusquea
  Balansia nigricans 96
Cibotium
  Galerina decipiens 283
  Pholiota peleae 292
Citrus
  Colletotrichum acutatum 122
    gloeosporioides 122
Coffea
  Chalara neocaladoniae 104
Cornus
  Septobasidium carestianum 340
Corthylus
  Ambrosiella xylebori 597
Corylus
  Amanita phalloides 920
  Radiigera fuscogleba 880
Cricotopus
  Smittium cylindrosporum 848
  Stachylina penetralis 851
Cucumis
  Acremonium cucurbitacearum 806
Cupressus
  Phialophora parasitica 786
Cycas
  Gigaspora 710
  Glomus 710
Dactylis
  Acremonium typhinum 370
  Claviceps purpurea 372
  Epichloë typhina 543,816
Danthonia
  Atkinsonella hypoxylon 372
Dasylirion
  Comminutispora agavaciensis 132
Daucus
  Rhizoctonia carotae 459
Dendroctonus
  Ceratocystis adjuncti 739
  Leptographium pyrinum 739
  Ophiostoma adjuncti 739
    clavigerum 742
    montium 742
Deschampsia
  Pleospora vagans 930
Dicheirotrichus
  Laboulbenia slackensis 567
Dryopteris
  Cryptomycina pteridis 635
Elaphomyces
  Cordyceps capitata 11,372
    ophioglossoides 11
Erianthus
  Myriogenospora atramentosa 372
Eucalyptus
  Amanita marmorata subsp. myrtacearum 140
    reidii 144
  Ceratocystis sp. 104
  Cryphonectria cubensis 437
  Descolea maculata 281
    rheophylla 280
  Galerina physospora 288
  Mycosphaerella africana 442f, 450
    crystallina 442f, 451
    didymelloides 449
    ellipsoidea 441, 442f, 452
    juvenis 442f, 453
    lateralis 441, 442f, 454
    molleriana 441
  Pseudocercospora crystallina 451
    epispermogonia 456
  Sphaerella molleriana var. megalospora 449
  Thelephora terrestris 548
  Uwebraunia ellipsoidea 452
    juvenis 453
    lateralis 454
Fagus
  Amanita phalloides 920
  Athelia arachnoidea 460
  Panellus pusillus 763
Festuca
  Acremonium coenophialum 372,540,810
    uncinatum 372
  Claviceps purpurea 816
  Epichloë 381
    festucae 372
  Neotyphodium 381
  Puccinia graminis subsp. graminicola 813
Fitzroya
  Galerina peladae 288
Forcypomyia?
  Stachylina ceratopogonidarum 850
Fraxinus
  Athelia arachnoidea 460
  Radiigera flexuosa 880
  Tubakia dryina 613
Glycine
  Colletotrichum dematium f. truncatum 1003
  Diaporthe phaseolarum var. meridionalis 438
Gnathotrichus
  Ambrosiella gnathotrichi 597
  Ambrosiella sulcati 597
Gossypium
  Colletotrichum capsici 1004
Harpalus
  Laboulbenia slackensis 567
Heliconia

Phomopsis 590
Heterocerus
Laboulbenia slackensis 567
Heterodera
Phoma heteroderae 885
Holcus
Acremonium typhinum 370
Epichloë clarkii 816
Hordeum
Acremonium starrii 540,810
typhinum 810
Claviceps purpurea 816
Ips
Ambrosiella ips 597
macrospora 597
Juncus
Glomerobolus gelineus 328
Larix
Ceratocystis laricicola 104
Gastrosuillus laricinus 782
Hebeloma edurum 903
Inonotus tomentosus 396
Phellinus pini 839
Suillus asiaticus 782
cavipes 782
grevillei 782, 906
grisellus 782
laricinus 782
ochraceoroseus 782
paluster 782
serotinus 782
spectabilis 782
tridentinus 782
Lasioderma
Symbiotaphrina kochii 212
Lathyrus
Peronospora viciae 473
Leistus
Laboulbenia slackensis 567
Libocedrus
Radiigera fuscogleba 880
Liquidambar
Tubakia dryina 613
Liriodendron
Phomopsis 590
Lithocarpus
Tricholoma griseoviolaceum 499
Lolium
Claviceps purpurea 816
Loricera
Laboulbenia slackensis 567
Lycopersicon
Colletotrichum capsici 1004
Malus
Gloeodes pomigena 114
Peltaster fruticola 114
Schizothyrium pomigena 114
Zygophiala jamaicensis 114
Mangifera
Janetia mangiferae 1014
Manilkara
Xylaria cf. adscendens 735
cf. multiplex 735
mellisii 735
mellisii/arbuscula 735
Megachile
Ascosphaera acerosa 797
Melaleuca
Amanita marmorata subsp. myrtacearum 142
Botryosphaeria ribis 239
Fusicoccum 239
Melicope
Puccinia rutainsulara 671
Meliola
Nectriopsis leucorrhodina 5
Metrosideros
Galerina decipiens 283
ohiarum 285
Pholiota peleae 292
Monarthrum
Ambrosiella brunnea 597
Myelophilus
Ambrosiella tingens 597
Myrica
Phomopsis 590
Myrsine
Pholiota peleae 292
Nebria
Laboulbenia slackensis 567
Nectandra
Phaeoacremonium inflatipes 794
Phialophora parasitica 786
Nolina
Comminutispora agavaciensis 133
Nothofagus
Chalara australis 104
Descolea antarctica 281
sp. 281
Gigasperma cryptica 662
Notiophilus
Laboulbenia slackensis 567
Olea
Phialophora parasitica 786
Olla
Hesperomyces virescens 677
Pandanus
Galerina velutipes 290
Panicum
Balansia strangulans 89,90,93,372
Paraheptagynia
Smittium cylindrosporum 848
Patrobus
Laboulbenia slackensis 567
Paulownia
Schizophyllum commune 763
Philonthus
Laboulbenia slackensis 567
Phoenix
Phialophora parasitica 786
Phytolacca
Diaporthe arctii 427
Picea
Amanita muscaria 906
Armillaria ostoyae 493
sinapina 493
Boletus edulis 903
Ceratocystis polonica 104
Cystostereum pini-candense 832
Fomes pini 839
Hebeloma crustuliniforme 903
Inonotus circinatus 396
tomentosus 395,396
Phellinus chrysoloma 230
piceinus 230
pini 396,839
Pyrenogaster atrogleba 869
Xerocomus badius 904
Pinus
Amanita phalloides 920
Auriculariopsis albomellea 763
Boletus pini 840
pinophilus 897
Cantharellus tabernensis 299
Ceratocystis coerulescens 104
Cronartium quercuum f. sp. fusiforme 47, 893
Fomes pini 839
Gautieria othii 897
Gremmeniella abietina 619
Hebeloma longicaudum 897
Inonotus circinatus 396
tomentosus 395, 396
Laccaria proxima 972
Phellinus pini 230, 839
Phlebia albomellea 767
centrifuga 763
Pyrenogaster atrogleba 869
pityophilus 870
Radiigera fuscogleba 880
taylorii 882
Russula sanguinea 897
Scleroderma polyrhizum 897
Suillus americanus 782
bovinus 782
brevipes 782
c. f. granulatus 782
collinitus 782
cothurnatus 782
decipiens 782
glandulosipes 782
granulatus 781
intermedius 782
luteus 782
neoalbidipes 782
placidus 782
pseudobrevipes 782
punctipes 782
pungens 782
sibiricus 782
spraguei 782
subalutaceus 782
subluteus 782
tomentosus 782
umbonatus 782
variegatus 782
weaverae 782
Tricholoma albobruneum 897
moseri 504
muricatum 507
nigrum 503
Tuber borchii 897
Xerocomus badius 897
Pisum
Peronospora viciae 473
Platanus
Phomopsis 590
Pluchea
Aecidium plucheae 171
plucheae-caspicae 171
plucheae-ovalis 171
Puccinia angustatoides 173
Poa
Acremonium 174
typhinum 177
Pogonus
Laboulbenia slackensis 565
Populus
Armillaria nabsnona 489
Athelia arachnoidea 460
Athelia epiphylla 469
Auriculariopsis ampla 763
Corticium roseum 832
Phlebia albida 763
ampla 763
Radiigera fuscogleba 880
Protea
Mycosphaerella jonkershoekensis 444
Prunus
Phaeoacremonium parasiticum 795
Phialophora parasitica 786
Pseudocloeon
Graminella microspora 851
Zygopolaris ephemeridarum 855
Pseudotsuga
Armillaria ostoyae 493
Ceratocystis coerulescens f. douglasii 104
Fomes pini 839
Phellinus pini 839
weirii 98
Pyrenogaster atrogleba 869
pityophilus 870
Radiigera bushnellii 877
fuscogleba 880
taylorii 882
Suillus lakei 782
Tricholoma myomyces var. cystidiotum 503
Psidium
Chalara neocaladoniae 104
Galerina velutipes 290
Psychotria
Pholiota peleae 292
Pteridium
Cryptomycina pteridis 635
Pterostichus
Laboulbenia slackensis 567
Quercus
Aleurodiscus oakseii 832
Amanita phalloides 920
Athelia arachnoidea 460
Cantherellus cibarius 296
Cronartium quercuum f. sp. fusiforme 47,892
Dendrothele candida 832

Discula quercina 734
Halophytophthora bahamensis 936
epistomium 936
kandeliae 936
tartarea 936
vesicula 936
Panellus stypticus 763
Phaeoacremonium inflatipes 793
Phlebia albida 769
albomellea 766
Phomopsis 590
Pythium cfr. graminicolum var. stagni 936
grandisporangium 936
Radiigera fuscogleba 880
taylorii 882
Tricholoma dryophilum 505
griseoviolaceum 499
Tricholosporum violaceum 668
Tubakia dryina 613
Rhizoctonia
Stachybotrys elegans 410
Rhizophora
Botryopshaeria ribis 239
Fusicoccum 239
Halophytophthora bahamensis 936
spinosa var. spinosa 936
vesicula 936
Pythium grandisporangium 36
Rhynchospora
Puccinia angustatoides 171
Ribes
Botryosphaeria ribis 239
Rubus
Armillaria ostoyae 493
Botryosphaeria dothidea 246
Peltaster fruticola 120
Salix
Armillaria gallica 493
ostoyae 493
Phomopsis spp. 589
Schefflera
Xylaria arbuscula 737
Sclerotinia
Sporidesmium sclerotivorum 271
Sclerotium
Sporidesmium sclerotivorum 271
Secale
Claviceps purpurea 543, 816
Simulium
Genistellospora homothallica 850
Harpella meridianalis 845
Paramoebidium grande 851
Smittium imitatum 848
simulii 851
Sitodrepa
Torulopsis buchneri 212
Solanum
Colletotrichum capsici 1004
Spongospora subterranea f. sp. subterranea 358
Synchytrium endobioticum 647
Sorbus
Phaeoacremonium inflatipes 794
Sphagnum
Galerina paludosa 287
Sphenopholis
Acremonium typhinum 370
Stipa
Acremonium chisosum 539
isolates 539
species 809
Synedra
Zygorhizidium planktonicum f. sp. synedrae 721
Tetracentron
Janetia tetracentri 1015
Thanatophilus
Laboulbenia slackensis 567
Thuja
Dendrothele griseo-cana 832
Trechus
Laboulbenia slackensis 567
Trypodendron
Ambrosiella ferruginea 597
Tsuga
Armillaria ostoyae 493
sinapina 393
Fomes pini 839
Phellinus pini 839
Pseudomerulius aureus 832
Pyrenogaster atrogleba 869
Radiigera taylorii 882
Ulmus
Athelia arachnoidea 460
Tubakia dryina 613
Umbellularia
Radiigera taylorii 882
Vicia
Peronospora viciae 473
Vitis
Cephalosporium-like 786
Phaeoacremonium aleophilum 791
angustius 791
chlamydosporum 792
Phellinus igniarius 786
Phyllosticta ampelicida 626
Stereum hirsutum 786
Xyleborus
Ambrosiella hartigii 597
xylebori 597
Xyloborinus
Ambrosiella sulfurea 597
Xylosandrus
Ambrosiella hartigii 597
Zanthoxylum
Puccinia rugispora 671
Zea
Fusarium globosum 509